



GASBOY

Commercial and Fleet Equipment Price List

**For U.S. Sourced Products
January 11, 2021**

GPL-5100Y

**Gasboy International LLC
Greensboro, NC**

*Gasboy® Inc.
Proprietary and Confidential
Do not copy or distribute*

Terms And Conditions

All Prices In U.S. Dollars, Net 30 Days and do not include taxes of any kind.

Shipping and Handling Fee

Please refer to SP-3291K for US Shipping and Handling Rates. For Canadian Shipping and Handling Rates, please refer to SP-3299H.

Regulatory Approvals

All standard pumps in this price list are UL listed except three-phase self-contained units, and units with nozzle activated reset (i.e. units that do not have a two-step activation such as nozzle and push to start).

All DEF models are MET listed.

Warranty

For all Gasboy product warranty information, consult MDE-4255H Gasboy Warranty Policy Statement.

Trademarks

Windows® is a registered trademark of Microsoft, Inc.

Please refer to the Gasboy® Distributor Manual for Terms and Conditions.

Table of Contents

Atlas Quick Ship Program	1-1
<hr/>	
Atlas Retail Pumps & Dispensers	
<hr/>	
Gasboy Atlas 8700K Series	1-3
Gasboy Atlas 8800K Series	1-7
<hr/>	
Atlas Commercial Pumps & Dispensers including Alternative Fuels	
<hr/>	
Gasboy Atlas 9800K Series	1-11
Gasboy Atlas 9840K Series	1-15
Gasboy Atlas 9850K Series	1-19
Gasboy Atlas 9860K DEF Series	1-23
Gasboy Atlas 9870K E85 Series	1-27
Gasboy Atlas 9100K Series	1-31
Gasboy Astra 9820K Series	1-35
Gasboy Atlas 9216K Satellite	1-39
<hr/>	
Dispenser Accessories	
<hr/>	
Hoses, Nozzles, Swivels, Retractors, and Valves	1-41
<hr/>	
Atlas Model Field Retrofit Kits	1-45
<hr/>	
Dialface/Bezel Assemblies - A Series, E Series, Q Series and Atlas Series	1-47
<hr/>	
EKOS	
<hr/>	
EKOS Cloud Hosted Software	2-1
<hr/>	
Islander PRIME	
<hr/>	
Islander PRIME Fuel Management System	2-3
Islander PRIME Options & Accessories	2-5
Sample Configurations	2-9
<hr/>	
ICR PRIME	
<hr/>	
ICR PRIME Fuel Management System	2-11
<hr/>	
Atlas PRIME	
<hr/>	
Atlas Prime Fuel Management System	2-13
Sample Configurations	2-14
<hr/>	
Personal Computer Software Products	
<hr/>	
Fleet Head Office - Home Office Software	2-15
<hr/>	
TopKAT PLUS	
<hr/>	
TopKAT PLUS Fuel Management System	2-17
Sample Configurations	2-18
<hr/>	
CFN PLUS	
<hr/>	
CFN PLUS Fuel Management System	2-19
CFN PLUS Fuel Options & Accessories	2-20
<hr/>	
Fuel Truck Controller	
<hr/>	
Fuel Truck Controller Fuel Management System	2-23
Fuel Truck Controller Options & Accessories	2-24
<hr/>	
Mobile Handheld Authorizer	
<hr/>	
Mobile Handheld Authorizer	2-27
<hr/>	
Passport Authorization Server	
<hr/>	
Passport Authorization Server	2-29
<hr/>	
Electrical Keytrol	2-31
<hr/>	

Page intentionally left blank.

Atlas Commercial Pumps & Dispensers

Gasboy Atlas Quick Ship Program

Electronic & Mechanical Dispensers

Available to US Customers Only

Program Objectives

- Satisfy distributors' emergency equipment needs for replacements or knock-offs
- Available on select Atlas Mechanical and Electronic Commercial models
- Units will ship from stock the next working day after receipt of order and any shipping holds released.
- Order must be received by 3:00pm EST, otherwise, order will be entered (and the clock starts) on the next working day
- Standard published list prices apply.

Specs

- Limited Gasboy® Atlas™ 9153K and 9853K models
- Units equipped with typical options purchased by most customers
- All units are side load, 115V, US Gallons with internal filters and preset values
- Atlas Mechanical models include 10:1 pulser (CX)
- Atlas Electronic models include Pulse Output and Electromechanical Totalizer (EM Tot)
- Graphics: Standard English gallon dial face, black side sheathing, white doors, and blank brands.

Order procedure:

- Gasboy Atlas Quick Ship models can be ordered on the Gasboy sales portal.
- Unit ships normal truck freight unless customer selects (and pays for) alternative shipping. Must indicate on PO if alternative shipping is required.

Mechanical Suction Pump

Model	Description	Price Option Name	Price
9153K-CXFPP-QS	Single w/ 10:1 Pulser	A9-153S10-QP	\$5,862
9152KTW1-CXF-QS	Twin - One Product w/ 10:1 Pulser	A9-152T10-QP	\$10,236
9153KTW2-CXFPP-QS	Twin - Two Product w/ 10:1 Pulser	A9-153T20-QP	\$11,416

Mechanical Dispenser

Model	Description	Price Option Name	Price
9153KX-CXF-QS	Single w/ 10:1 Pulser	A9-153S10-QD	\$4,857
9153KXTW1-CXF-QS	Twin - One Product w/ 10:1 Pulser	A9-153T10-QD	\$8,611

Electronic Suction Pump

Model	Description	Price Option Name	Price
9853K-FPP-QS	Single w/ Pulse out and EM Tot	A9-853S10-QP	\$5,804

Electronic Dispenser

Model	Description	Price Option Name	Price
9853KX-F-QS	Single w/ Pulse out and EM Tot	A9-853S10-QD	\$4,836
9853KXTW1-F-QS	Twin - One Product w/ Pulse out and EM Tot	A9-853T10-QD	\$8,196
9853KXTW2-F-QS	Twin - Two Product w/ Pulse out and EM Tot	A9-853T20-QD	\$8,196

ASTRA Remote Pump

Model	Description	Price Option Name	Price
9823KX-F-QS	Single w/ Pulse output	A9-853S10-QD	\$4,822

Page intentionally left blank.

Atlas Commercial Pumps & Dispensers

Gasboy Atlas 8700K Series Mechanical Retail Dispensers



- VR 10 Computer (Note d)
- Electric Power Reset
- Positive Displacement Meter
- Top & Sides - Painted Black
- 1" Discharge
- 1 HP c.d. Motor - Pumps Only
 - Front & Back Panels – Painted White or Specify Color

All Models

- Internal Hose Retractor – Base Option I
- Lighted Brand Panels – Base Option L
- Individual Money/Gal. totalizer per hose
- Dual Voltage Motor
- Less Hose and Nozzle
- UL Listed/cUL Listed
- 1" High Flow 2-Stage Solenoid Valve

Suction Pump

UP TO 22 GPM*

Model	Description	Note	Price Option Name	Price
8753K FIL	Single	a,n	A8-753S10-0P	\$6,658
8752KTW1 FIL	Twin - One Product (Single Motor)	a,n	A8-752T10-SP	\$11,495
8753KTW1M FIL	Twin - One Product (High Spd.) (Twin Motor)	a,b,n,u	A8-752T10-TP	\$12,513
8753KTW2 FIL	Twin - Two Product	a,n	A8-753T20-0P	\$12,513

Remote Dispenser

UP TO 22 GPM*

Model	Description	Note	Price Option Name	Price
8753KX F	Single	p,n	A8-753S10-0D	\$5,463
8753KXTW1 F	Twin - One Product	p,n	A8-753T10-0D	\$9,239
8753KXTW2 F	Twin - Two Product	p,n	A8-753T20-0D	\$9,239

*Delivery rates shown are maximum test rates. Actual rates will vary depending upon installation conditions, product dispensed, added accessories, if applicable, the size of the submersible pump. Twin models are single hose flow. For Standard flow (15gpm), use ¾" hose and nozzle.

- Suitable for use with conventional motor fuels, oxygenated fuel blends up to 15% ethanol (E15), and bio-diesel blends up to 20% (B20).

Atlas Extended Warranty Options			Availability		Quantity per unit		
Description	Price Option Name	Price	Disp	Pump	Single	TW1	TW2
2nd Year	Z-WAT-870002	\$417	Y	Y	1	1	1
3rd Year	Z-WAT-870003	\$417	Y	Y	1	1	1
4th Year	Z-WAT-870004	\$417	Y	Y	1	1	1
5th Year	Z-WAT-870005	\$417	Y	Y	1	1	1

Provides the standard Gasboy warranty per MDE-4255 for the warranty term purchased beginning from the installation date.
Must be purchased with original equipment order. w

Atlas Commercial Pumps & Dispensers

Gasboy Atlas 8700K Series

Options and Accessories

Part #	Description	Note	Price Option Name	Price/Ea	Availability		Qty Req'd per unit		
					Pump	Disp	Single	TW1	TW2
(All prices are per hose except as noted otherwise. Options on twins cannot be split.)									
Base Options									
	230 VAC, 50/60 Hz Operation		Z-AT0-H00230	N/C	N/A	Y	1	1	1
2	115/230 VAC, 60 Hz Motor	r	Z-AT0-H02115	N/C	Y	N/A	1	1	1
25	115/230 VAC, 50 Hz Motor	r	Z-AT0-H25115	N/C	Y	N/A	1	1	1
35	380VAC 50 Hz Motor	r	Z-AT0-H35380	N/C	Y	N/A	1	1	1
CC	Pulser, 100:1 Ratio, Volume	d	Z-AT0-HPCC00	\$663	Y	Y	1	2	2
CM	Pulser, 100:1 Ratio, Money	d	Z-AT0-HPCM00	\$645	Y	Y	1	2	2
CX	Pulser, 10:1 Ratio, Volume	d	Z-AT0-HPCX00	\$459	Y	Y	1	2	2
+ 1:1 PLSR	Pulser, 1:1 Ratio, Volume	d	Z-AT0-HP1100	\$422	Y	Y	1	2	2
F	Filter Adapter, Internal	e	Z-AT0-GFLT00	STD	Y	Y	1	2	2
I	Hose Retractor, Internal		Z-AT0-GHRI00	STD	Y	Y	1	2	2
K	Hand Crank	i	Z-AT0-GHCK00	\$422	Y	N/A	1	1	2
L	Light		Z-AT0-GLTL01	STD	Y	Y	1	1	1
PP	Slowdown Valve, 1" High Flow	p	Z-AT0-GVPP00	N/C	Y	Y	1	2	2
R	Liter Measure		Z-AT0-HLMR00	\$66	Y	Y	1	2	2
S	Satellite Internal Piping	h	Z-AT0-HSPS00	\$91	N/A	Y	1	2	2
SS	Stainless Steel-All Panels		Z-AT0-ISSA00	\$474	Y	Y	1	1	1
SSA	Stainless Steel-Front & Back		Z-AT0-ISSFB0	\$231	Y	Y	1	1	1
SSTS	Stainless Steel-Top & Sides		Z-AT0-ISSTS0	\$252	Y	Y	1	1	1
Y	Vapor Recovery Ready	l	Z-AT0-HVRY00	\$111	Y	Y	1	2	2

Other Accessories									
Part #	Description	Note	Price Option Name	Price/Ea	Availability		Qty Req'd per unit		
					Pump	Disp	Single	TW1	TW2
G032754	External Filter - 10 Micron	k,s	Z-AT0-AFESS4	\$206	Y	Y	1	2	2
G032755	External Filter - Hydrosorb	k,s	Z-AT0-AFEHS5	\$231	Y	Y	1	2	2
R18896-G2	Filter Blanking Cap		Z-AT0-AFBC00	\$64	Y	Y	1	2	2
R18189-10	Internal Filter, Standard 10 Micron	j	Z-AT0-AFI1MS	N/C	Y	Y	1	2	2
M08007B010	Internal Filter, Water Alert II 10 Micron	j	Z-AT0-AFW1MS	\$52	Y	Y	1	2	2
M06184K004	Vapor Recovery Kit-Disp	m	Z-AT0-HVS0D4	\$282	N/A	Y	1	2	1/2**
M06430K010	Vapor Recovery Kit-Pump Sing.	m	Z-AT0-HVS0P0	\$324	Y	N/A	1	N/A	N/A
M06430K012	Vapor Recovery Kit-Pump TW1	m	Z-AT0-HVT1P2	\$645	Y	N/A	N/A	1	N/A
M06430K011	Vapor Recovery Kit-Pump TW2	m	Z-AT0-HVT2P1	\$645	Y	N/A	N/A	N/A	1

**One each A or B side.

Atlas Commercial Pumps & Dispensers

Gasboy Atlas 8700K Series

Notes:

- a. Model 52A Pressure Reg. valve is required for AST installation. TW2 require 2 valves.
- b. This model should not be used with AST due to flow restrictions of the Pressure Regulation Valve.
- c. EK Pulser & Top Mounting Kits include the necessary pulsers, top cabinet panels & wiring for factory installed Electrical Keytrol. See EK price list for EK consoles. Gallons use 10:1 and Liters use 1:1 option.
- d. For pulse output to remote EK, Gasboy fuel mgmt. system, or other mfg.'s control systems. All options available for gallon or liter measure. CX not approved for W&M applications except for Electric Keytrol.
- e. F option = adapter only. Must specify internal filter element part number.
- f. Standard on dispensers & 9153KTW1.
- g. N/A with EK or Light options. Zero start model provided unless accumulative model is specified. Liters not available.
- h. Satellite piping available on remote dispensers only.
- i. Hand crank is N/A on remote dispensers, TW1 pumps, or w/ PP option.
- j. Requires F (filter adapter) option.
- k. Kits include adapter, filter element pipe fittings and filter cap. Not for use w/ methanol.
- l. VR Kit includes special VR nozzle boot & hanger only for side load, front load is convertible to VR boot and hook as standard.
- m. Kit for Balanced VR System - includes vapor boot, hook, splitter, and feeder hose. Pump models include internal vapor piping. Does NOT include Co-Ax hoses, nozzle, breakaway, swivel, or HHR - order separately. Requires Field Installation.
- n. VR 10 max. sale \$999.99, max price \$9.99. R.H. money wheel displays \$0.00 to \$0.90 (numbered 00, 10, 20.....90) with indicator lines every two cents.
- o. Accum. totalizer instead shows on reverse side (front).
- p. Slowdown valve - standard on remote disp, and TW1M & TW1 pumps.
- q. HP c.d. motor for single phase application, 3/4 HP c.d. motor for 3 phase applications.
- r. R18896-G2 Blanking Cap included.
- s. Not available with EK option.
- t. Vapor recovery not available on TW1M pumps.
- u. Requires Gilbarco Universal Distribution Box.
- v. For direct connection with Gasboy PLUS and PRIME Controllers.
- w. Provides pulse output for Series 1000, remote-mount Electrical Keytrol, or other mfgs control systems.
- x. Provides two pulse outputs - one for fuel Mgt, one for tank monitor, twin hose.
- y. Required for Series 1000 System. One required per hose for the AC auth. Input when connecting to control devices w/ solid state relays.
- z. For the direct drive of sub pumps, up to 3/4 hp, 120V; up to 1 1/2 hp, 240V. Not required with external relay box.
- aa. Required by W&M for resale applications. Non-resettable.
- bb. 9840K Pump should not be used with above ground tanks (ASTs), due to excessive restriction from Pressure Regulating Valve (not included).
- cc. Above ground tank kit is required for the 9850K pump for ASTs.
- dd. Front nozzle models are for lane-oriented applications. Volume displays are on the side with the nozzle only.
- ee. TW3 Master/Satellite combo includes (in a single cabinet) a master unit on one side and a satellite for a different master on the back side.
- ff. 9840K and 9850K pump motors require 230V service.
- gg. Satellite piping available on dispensers and suction models. Note different price because it includes an extra solenoid valve.
- hh. Warm Weather (WW) model does not include internal heaters and should not be used where ambient temperatures will fall below 12°F - DEF will freeze.
- ii. Warm Weather (WW) model not warranted for DEF freeze damage.
- jj. See Atlas Install Manual **MDE-4331K** for boot side and non-boot side inlet clarification.
- kk. Must use DEF compatible Hose, Nozzle and Breakaway Swivel.
- ll. Includes mis-fueling prevention.
- mm. Standard nozzle without mis-fueling prevention.
- nn. Mounts to 042082 ASTRA pedestal.
- oo. Vapor recovery system cannot exceed 10 gpm. Use flow reducer if needed for application.
- pp. Includes coaxial-to-standard hose outlet adapter & o-rings.

Page intentionally left blank.

Atlas Commercial Pumps & Dispensers

Gasboy Atlas 8800K Series

Electronic Retail Dispensers



- Electronic Register
- Weights and Measures Certification
- Top & Sides - Painted Black
- Front & Back Panels – Painted White or Specify Color
- Backlit Display
- Brand Panels
- Less hose & nozzle
- UL/cUL Listed

All Models

- Filter Adapter w/ Std Filter – Base Option F
- Internal Hose Retractor – Base Option I
- Lighted Brand Panels – Base Option L
- 1" Solenoid (8852KTW1, 8853KTW1M & All Dispensers)
- All pumps have 1 HP continuous duty motors (Note m)
- 1" Discharge
- Mechanical Calibration

Suction Pump

UP TO 22 GPM*

Model	Description	Note	Price Option Name	Price
8853K FIL	Single	a,v	A8-853S10-0P	\$6,636
8852KTW1 FIL	Twin - One Product (Single Motor)	a,v	A8-852T10-SP	\$10,787
8853KTW1M FIL	Twin - One Product (Twin Motor)	a,b,u,v	A8-853T10-TP	\$11,443
8853KTW2 FIL	Twin - Two Product	a,v	A8-853T20-0P	\$11,443

Remote Dispenser

UP TO 22 GPM*

Model	Description	Note	Price Option Name	Price
8853KX FIL	Single	p,v	A8-853S10-0D	\$5,954
8853KXTW1 FIL	Twin - One Product	p,v	A8-853T10-0D	\$9,726
8853KXTW2 FIL	Twin - Two Product	p,v	A8-853T20-0D	\$9,860

*Delivery rates shown are maximum test rates. Actual rates will vary depending upon installation conditions, product dispensed, added accessories, if applicable, the size of the submersible pump. Twin models are single hose flow. For Standard flow (15gpm), use ¾" hose and nozzle.

- Suitable for use with conventional motor fuels, oxygenated fuel blends up to 15% ethanol (E15), and bio-diesel blends up to 20% (B20).
- Front nozzle models are for lane-oriented applications. Volume displays are on the side with the nozzle boot only.

Atlas Extended Warranty Options			Availability		Quantity per unit		
Description	Price Option Name	Price	Disp	Pump	Single	TW1	TW2
2nd Year	Z-WAT-880002	\$417	Y	Y	1	1	1
3rd Year	Z-WAT-880003	\$417	Y	Y	1	1	1
4th Year	Z-WAT-880004	\$417	Y	Y	1	1	1
5th Year	Z-WAT-880005	\$417	Y	Y	1	1	1

Provides the standard Gasboy warranty per MDE-4255 for the warranty term purchased beginning from the installation date.
Must be purchased with original equipment order.

Atlas Commercial Pumps & Dispensers

Gasboy Atlas 8800K Series

Options and Accessories

Part #	Description	Note	Price Option Name	Price/Ea	Availability		Qty Req'd per unit		
					Pump	Disp	Single	TW1	TW2

(All prices are per hose except as noted otherwise. Options on twins cannot be split.)

Base Options									
	230 VAC, 50/60 Hz Operation		Z-AT0-H00230	N/C	N/A	Y	1	1	1
2	115/230 VAC, 60 Hz Motor	r	Z-AT0-H02115	N/C	Y	N/A	1	1	1
25	115/230 VAC, 50 Hz. Motor	r	Z-AT0-H25115	N/C	Y	N/A	1	1	1
35	380 VAC, 50 Hz. Motor	r	Z-AT0-H35380	N/C	Y	N/A	1	1	1
ATC-1	ATC, Single*		Z-AT0-HATCSA	\$1,990	Y	Y	1	N/A	N/A
ATC-2	ATC, Dual*		Z-AT0-HATCDA	\$2,231	Y	Y	N/A	1	1
F	Filter Adapter, Internal	e	Z-AT0-GFLT00	STD	Y	Y	1	2	2
I	Hose Retractor, Internal		Z-AT0-GHRI00	STD	Y	Y	1	2	2
L	Light		Z-AT0-GLTL01	STD	Y	Y	1	1	1
PP	Slowdown Valve	p	Z-AT0-GVPP00	N/C	Y	Y	1	2	2
R	Liters Registration		Z-AT0-HLMR00	\$66	Y	Y	1	1	1
S	Satellite Internal Piping	h	Z-AT0-HSPS00	\$91	N/A	Y	1	2	2
SS	Stainless Steel-All Panels		Z-AT0-ISSA00	\$474	Y	Y	1	1	1
SSA	Stainless Steel-Front & Back		Z-AT0-ISSF00	\$231	Y	Y	1	1	1
SSTS	Stainless Steel-Top & Sides		Z-AT0-ISSTS0	\$252	Y	Y	1	1	1
Y	Vapor Recovery Kit	I	Z-AT0-HVRY00	\$111	Y	Y	1	2	2
SSA	Stainless Steel-Front & Back		Z-AT0-ISSF00	\$231	Y	Y	1	1	1
SSTS	Stainless Steel-Top & Sides		Z-AT0-ISSTS0	\$252	Y	Y	1	1	1
Y	Vapor Recovery Ready	I	Z-AT0-HVRY00	\$111	Y	Y	1	2	2

Other Accessories									
Part #	Description	Note	Price Option Name	Price/Ea	Availability		Qty Req'd per unit		
					Pump	Disp	Single	TW1	TW2
G032754	External Filter - 10 Micron	k,s	Z-AT0-AFESS4	\$184	Y	Y	1	2	2
G032755	External Filter - Hydrosorb	k,s	Z-AT0-AFEHS5	\$206	Y	Y	1	2	2
R18896-G2	Filter Blanking Cap		Z-AT0-AFBC00	\$57	Y	Y	1	2	2
R18189-10	Internal Filter, Standard 10 Micron	j	Z-AT0-AFI1MS	N/C	Y	Y	1	2	2
M08007B010	Internal Filter, Water Alert II 10 Micron	j	Z-AT0-AFW1MS	\$46	Y	Y	1	2	2
*****	Pulse Output, Single or Dual		Z-AT0-APULID	\$398	Y	Y	1	1	1
*****	Totalizer, Elec. Mech. Accum (Ltr)		Z-AT0-GEMT0L	\$167	Y	Y	1	2	2
*****	Totalizer, Elec. Mech. Accum (Gal)		Z-AT0-GEMT0G	\$167	Y	Y	1	2	2
M06184K003	Vapor Recovery Kit-Disp	m	Z-AT0-HVS0D3	\$252	N/A	Y	1	2	1/2**
M06430K007	Vapor Recovery Kit-Pump Sing.	m	Z-AT0-HVS0P7	\$289	Y	N/A	1	N/A	N/A
M06430K009	Vapor Recovery Kit-Pump TW1	m	Z-AT0-HVT1P9	\$576	Y	N/A	N/A	1	N/A
M06430K008	Vapor Recovery Kit-Pump TW2	m	Z-AT0-HVT2P8	\$576	Y	N/A	N/A	N/A	1

*ATC Measurement Canada approved. Field installation required.

**One each A or B side.

Atlas Commercial Pumps & Dispensers

Gasboy Atlas 8800K Series

Notes:

- a. Model 52A Pressure Reg. valve is required for AST installation. TW2 require 2 valves.
- b. This model should not be used with AST due to flow restrictions of the Pressure Regulation Valve.
- c. EK Pulser & Top Mounting Kits include the necessary pulsers, top cabinet panels & wiring for factory installed Electrical Keytrol. See EK price list for EK consoles. Gallons use 10:1 and Liters use 1:1 option.
- d. For pulse output to remote EK, Gasboy fuel mgmt. system, or other mfg.'s control systems. All options available for gallon or liter measure. CX not approved for W&M applications except for Electric Keytrol.
- e. F option = adapter only. Must specify internal filter element part number.
- f. Standard on dispensers & 9153KTW1.
- g. N/A with EK or Light options. Zero start model provided unless accumulative model is specified. Liters not available.
- h. Satellite piping available on remote dispensers only.
- i. Hand crank is N/A on remote dispensers, TW1 pumps, or w/ PP option.
- j. Requires F (filter adapter) option.
- k. Kits include adapter, filter element pipe fittings and filter cap. Not for use w/ methanol.
- l. VR Kit includes special VR nozzle boot & hanger only for side load, front load is convertible to VR boot and hook as standard.
- m. Kit for Balanced VR System - includes vapor boot, hook, splitter, and feeder hose. Pump models include internal vapor piping. Does NOT include Co-Ax hoses, nozzle, breakaway, swivel, or HHR - order separately. Requires Field Installation.
- n. VR 10 max. sale \$999.99, max price \$9.99. R.H. money wheel displays \$0.00 to \$0.90 (numbered 00, 10, 20.....90) with indicator lines every two cents.
- o. Accum. totalizer instead shows on reverse side (front).
- p. Slowdown valve - standard on remote disp, and TW1M & TW1 pumps.
- q. HP c.d. motor for single phase application, 3/4 HP c.d. motor for 3 phase applications.
- r. R18896-G2 Blanking Cap included.
- s. Not available with EK option.
- t. Vapor recovery not available on TW1M pumps.
- u. Requires Gilbarco Universal Distribution Box.
- v. For direct connection with Gasboy PLUS and PRIME Controllers.
- w. Provides pulse output for Series 1000, remote-mount Electrical Keytrol, or other mfgs control systems.
- x. Provides two pulse outputs - one for fuel Mgt, one for tank monitor, twin hose.
- y. Required for Series 1000 System. One required per hose for the AC auth. Input when connecting to control devices w/ solid state relays.
- z. For the direct drive of sub pumps, up to 3/4 hp, 120V; up to 1 1/2 hp, 240V. Not required with external relay box.
- aa. Required by W&M for resale applications. Non-resettable.
- bb. 9840K Pump should not be used with above ground tanks (ASTs), due to excessive restriction from Pressure Regulating Valve (not included).
- cc. Above ground tank kit is required for the 9850K pump for ASTs.
- dd. Front nozzle models are for lane-oriented applications. Volume displays are on the side with the nozzle only.
- ee. TW3 Master/Satellite combo includes (in a single cabinet) a master unit on one side and a satellite for a different master on the back side.
- ff. 9840K and 9850K pump motors require 230V service.
- gg. Satellite piping available on dispensers and suction models. Note different price because it includes an extra solenoid valve.
- hh. Warm Weather (WW) model does not include internal heaters and should not be used where ambient temperatures will fall below 12°F - DEF will freeze.
- ii. Warm Weather (WW) model not warranted for DEF freeze damage.
- jj. See Atlas Install Manual **MDE-4331K** for boot side and non-boot side inlet clarification.
- kk. Must use DEF compatible Hose, Nozzle and Breakaway Swivel.
- ll. Includes mis-fueling prevention.
- mm. Standard nozzle without mis-fueling prevention.
- nn. Mounts to 042082 ASTRA pedestal.
- oo. Vapor recovery system cannot exceed 10 gpm. Use flow reducer if needed for application.
- pp. Includes coaxial-to-standard hose outlet adapter & o-rings.

Page intentionally left blank.

Atlas Commercial Pumps & Dispensers

Gasboy Atlas 9800K Series

Electronic Fleet Dispensers



All Models

- 1" Super-brite Backlit LCD Display – (Meets W&M Display Last Transaction Rqmt.)
- Electronic Totalizer (999999)
- Top & Sides - Painted Black
- Front & Back Panels – Painted White or Specify Color
- Backlit Display
- Brand Panel (Light – Extra Option)
- DC Conduit & J-Box (D Suffix)
- Filter Adapter Internal w/ Std Filter – Base Option F
- 1" Discharge
- 1" 2-Stage Solenoid (Dispensers)
- 9853KTW2 & 9853KTW1M have two pumps & motors
- 1 HP c.d. Motor – Pumps Only
- Less Hose & Nozzle
- Mechanical Calibration

Suction Pump

UP TO 22 GPM*

Model	Description	Note	Price Option Name	Price
9853K DFZ	Single, Front Load	a,j	A9-853S1F-0P	\$5,254
9852KTW1 DFZ	Twin - One Product, Front Load (Single Motor)	a,j	A9-852T1F-SP	\$9,097
9853KTWIM DFZ	Twin - One Product, Front Load (Twin Motor)	b	A9-853T1F-TP	\$10,212
9853KTW2 DFZ	Twin - Two Product, Front Load	a,j	A9-853T2F-0P	\$10,212
9853K DF	Single, Side Load	a,j	A9-853S1S-0P	\$5,203
9852KTW1 DF	Twin - One Product, Side Load (Single Motor)	a,j	A9-852T1S-SP	\$8,973
9853KTWIM DF	Twin - One Product, Side Load (Twin Motor)	b	A9-853T1S-TP	\$10,109
9853KTW2 DF	Twin - Two Product, Side Load	a,j	A9-853T2S-0P	\$10,109

Remote Dispenser

UP TO 22 GPM*

Model	Description	Note	Price Option Name	Price
9853KX DFZ	Single, Front Load		A9-853S1F-0D	\$4,292
9853KXTW1 DFZ	Twin - One Product, Front Load		A9-853T1F-0D	\$7,525
9853KXTW2 DFZ	Twin - Two Product, Front Load		A9-853T2F-0D	\$7,525
9853KX DF	Single, Side Load		A9-853S1S-0D	\$4,235
9853KXTW1 DF	Twin - One Product, Side Load		A9-853T1S-0D	\$7,408
9853KXTW2 DF	Twin - Two Product, Side Load		A9-853T2S-0D	\$7,408

*Delivery rates shown are maximum test rates. Actual rates will vary depending upon installation conditions, product dispensed, added accessories, if applicable, the size of the submersible pump. Twin models are single hose flow. For Standard flow (15gpm), use 3/4" hose and nozzle.

- Suitable for use with conventional motor fuels, oxygenated fuel blends up to 15% ethanol (E15), and bio-diesel blends up to 20% (B20).
- Front nozzle models are for lane-oriented applications. Volume displays are on the side with the nozzle boot only.

Extended Warranty Options		Dispenser without Prime		Dispenser Including Prime	
Description		Price Option Name	Price	Price Option Name	Price
2nd Year		Z-WAT-980002	\$417	Z-WAP-980002	\$1,483
3rd Year		Z-WAT-980003	\$417	Z-WAP-980003	\$1,483
4th Year		Z-WAT-980004	\$417	Z-WAP-980004	\$1,483
5th Year		Z-WAT-980005	\$417	Z-WAP-980005	\$1,483

Provides the standard Gasboy warranty per MDE-4255 for the warranty term purchased beginning from the installation date. **Must be purchased with original equipment order.**

Atlas Commercial Pumps & Dispensers

Gasboy Atlas 9800K Series Options and Accessories

Part #	Description	Note	Price Option Name	Price/Ea	Availability		Qty Req'd per unit		
					Pump	Disp	Single	TW1	TW2
(All prices are per hose except as noted otherwise. Options on twins cannot be split.)									
Base Options									
	230 VAC, 50/60 Hz Operation		Z-AT0-H00230	N/C	N/A	Y	1	1	1
2	115/230 VAC, 60 Hz Motor	r	Z-AT0-H02115	N/C	Y	N/A	1	1	1
25	115/230 VAC, 50 Hz. Motor	r	Z-AT0-H25115	N/C	Y	N/A	1	1	1
35	380 VAC, 50 Hz. Motor	r	Z-AT0-H35380	N/C	Y	N/A	1	1	1
ATC-1	ATC, Single*		Z-AT0-HATCSA	\$1,990	Y	Y	1	N/A	N/A
ATC-2	ATC, Dual*		Z-AT0-HATCDA	\$2,231	Y	Y	N/A	1	1
D5	TopKAT PLUS Mounting Kit		Z-AT0-GTKM00	\$393	Y	Y	1	1	1
F	Filter Adapter, Internal	e	Z-AT0-GFLT00	STD	Y	Y	1	2	2
I	Hose Retractor, Internal		Z-AT0-GHRI01	\$120	Y	Y	1	2	2
L	Light		Z-AT0-GLTL02	\$293	Y	Y	1	1	1
PP	Slowdown Valve, 1" High Flow	p	Z-AT0-GVPP00	N/C	Y	Y	1	2	2
R	Liter Measure		Z-AT0-HLMR00	\$66	Y	Y	1	1	1
S	Satellite Internal Piping	h	Z-AT0-HSPS00	\$91	N/A	Y	1	2	2
SS	Stainless Steel - All Panels		Z-AT0-ISSA00	\$474	Y	Y	1	1	1
SSA	Stainless Steel - Front & Back		Z-AT0-ISSFB0	\$231	Y	Y	1	1	1
SSTS	Stainless Steel - Top & Sides		Z-AT0-ISSTS0	\$252	Y	Y	1	1	1
Y	Vapor Rec. Kit (side load)	l	Z-AT0-HVRY00	\$111	Y	Y	1	2	1

Other Accessories					Availability		Qty Req'd per unit		
Part #	Description	Note	Price Option Name	Price/Ea	Pump	Disp	Single	TW1	TW2
G032754	External Filter - 10 Micron	k,s	Z-AT0-AFESS4	\$206	Y	Y	1	2	2
G032755	External Filter - Hydrosorb	k,s	Z-AT0-AFEHS5	\$231	Y	Y	1	2	2
R18896-G2	Filter Blanking Cap		Z-AT0-AFBC00	\$64	Y	Y	1	2	2
R18189-10	Internal Filter, Standard 10 Micron	j	Z-AT0-AFI1MS	N/C	Y	Y	1	2	2
R18189-30	Internal Filter, Standard 30 Micron	j	Z-AT0-AFI3MS	N/C	Y	Y	1	2	2
M08007B010	Internal Filter, Water Alert II 10 Micron	j	Z-AT0-AFW1MS	\$52	Y	Y	1	2	2
M08007B030	Internal Filter, Water Alert II 30 Micron	j	Z-AT0-AFW3MS	\$46	Y	Y	1	2	2
*****	RS485 Interface	w	Z-AT0-ARSI00	\$408	Y	Y	1	1	1
*****	RS485 Interface, Atlas PRIME	w	Z-AT0-ARSI10	N/C	Y	Y	1	1	1
*****	Pulse Output, Dual Channel Dual Pulse	x,y	Z-AT0-APULID	\$414	Y	Y	1	1	1
C05818	Resistor Assembly, 115V	z	Z-AT0-ARA115	N/C	Y	Y	1	2	2
C06683	Resistor Assembly, 230V	z	Z-AT0-ARA230	\$39	Y	Y	1	2	2
*****	Subm. Drive Relays: Single	aa	Z-AT0-FSDRS0	\$102	N/A	Y	1	N/A	N/A
*****	Subm. Drive Relays: Twin	aa	Z-AT0-FSDRTD	\$170	N/A	Y	N/A	1	1
*****	Totalizer, Elec. Mech. Accum (Ltr)	bb	Z-AT0-GEMTOL	\$187	Y	Y	1	2	2
*****	Totalizer, Elec. Mech. Accum (Gal)	bb	Z-AT0-GEMTOG	\$187	Y	Y	1	2	2
M06184K003	Vapor Recovery Kit-Disp	m	Z-AT0-HVS0D3	\$282	N/A	Y	1	2	1/2***
M06430K007	Vapor Recovery Kit-Pump Sing.	m	Z-AT0-HVS0P7	\$324	Y	N/A	1	N/A	N/A
M06430K009	Vapor Recovery Kit-Pump TW1	m	Z-AT0-HVT1P9	\$645	Y	N/A	N/A	1	N/A
M06430K008	Vapor Recovery Kit-Pump TW2	m	Z-AT0-HVT2P8	\$645	Y	N/A	N/A	N/A	1

*ATC Measurement Canada approved. Field installation required.

**One each A or B side.

***Per side - Requires "Z" option.

Atlas Commercial Pumps & Dispensers

Gasboy Atlas 9800K Series

Notes:

- a. Model 52A Pressure Reg. valve is required for AST installation. TW2 require 2 valves.
- b. This model should not be used with AST due to flow restrictions of the Pressure Regulation Valve.
- c. EK Pulser & Top Mounting Kits include the necessary pulsers, top cabinet panels & wiring for factory installed Electrical Keytrol. See EK price list for EK consoles. Gallons use 10:1 and Liters use 1:1 option.
- d. For pulse output to remote EK, Gasboy fuel mgmt. system, or other mfg.'s control systems. All options available for gallon or liter measure. CX not approved for W&M applications except for Electric Keytrol.
- e. F option = adapter only. Must specify internal filter element part number.
- f. Standard on dispensers & 9153KTW1.
- g. N/A with EK or Light options. Zero start model provided unless accumulative model is specified. Liters not available.
- h. Satellite piping available on remote dispensers only.
- i. Hand crank is N/A on remote dispensers, TW1 pumps, or w/ PP option.
- j. Requires F (filter adapter) option.
- k. Kits include adapter, filter element pipe fittings and filter cap. Not for use w/ methanol.
- l. VR Kit includes special VR nozzle boot & hanger only for side load, front load is convertible to VR boot and hook as standard.
- m. Kit for Balanced VR System - includes vapor boot, hook, splitter, and feeder hose. Pump models include internal vapor piping. Does NOT include Co-Ax hoses, nozzle, breakaway, swivel, or HHR - order separately. Requires Field Installation.
- n. VR 10 max. sale \$999.99, max price \$9.99. R.H. money wheel displays \$0.00 to \$0.90 (numbered 00, 10, 20.....90) with indicator lines every two cents.
- o. Accum. totalizer instead shows on reverse side (front).
- p. Slowdown valve - standard on remote disp, and TW1M & TW1 pumps.
- q. HP c.d. motor for single phase application, 3/4 HP c.d. motor for 3 phase applications.
- r. R18896-G2 Blanking Cap included.
- s. Not available with EK option.
- t. Vapor recovery not available on TW1M pumps.
- u. Requires Gilbarco Universal Distribution Box.
- v. For direct connection with Gasboy PLUS and PRIME Controllers.
- w. Provides pulse output for Series 1000, remote-mount Electrical Keytrol, or other mfgs control systems.
- x. Provides two pulse outputs - one for fuel Mgt, one for tank monitor, twin hose.
- y. Required for Series 1000 System. One required per hose for the AC auth. Input when connecting to control devices w/ solid state relays.
- z. For the direct drive of sub pumps, up to 3/4 hp, 120V; up to 1 1/2 hp, 240V. Not required with external relay box.
- aa. Required by W&M for resale applications. Non-resettable.
- bb. 9840K Pump should not be used with above ground tanks (ASTs), due to excessive restriction from Pressure Regulating Valve (not included).
- cc. Above ground tank kit is required for the 9850K pump for ASTs.
- dd. Front nozzle models are for lane-oriented applications. Volume displays are on the side with the nozzle only.
- ee. TW3 Master/Satellite combo includes (in a single cabinet) a master unit on one side and a satellite for a different master on the back side.
- ff. 9840K and 9850K pump motors require 230V service.
- gg. Satellite piping available on dispensers and suction models. Note different price because it includes an extra solenoid valve.
- hh. Warm Weather (WW) model does not include internal heaters and should not be used where ambient temperatures will fall below 12°F - DEF will freeze.
- ii. Warm Weather (WW) model not warranted for DEF freeze damage.
- jj. See Atlas Install Manual **MDE-4331K** for boot side and non-boot side inlet clarification.
- kk. Must use DEF compatible Hose, Nozzle and Breakaway Swivel.
- ll. Includes mis-fueling prevention.
- mm. Standard nozzle without mis-fueling prevention.
- nn. Mounts to 042082 ASTRA pedestal.
- oo. Vapor recovery system cannot exceed 10 gpm. Use flow reducer if needed for application.
- pp. Includes coaxial-to-standard hose outlet adapter & o-rings.

Page intentionally left blank.

Atlas Commercial Pumps & Dispensers

Gasboy Atlas 9840K Series

Electronic Fleet Dispensers



All Models

- 1" Super-brite Backlit LCD Display – (Meets W&M Display Last Transaction Rqmt.)
- Electronic Totalizer (999999)
- Brand Panel (Light - Extra Option)
- DC Conduit & J-Box (D Suffix)
- 2" Inlet
- 1-1/2" Solenoid (dispenser only)
- Less hose & nozzle
- UL/cUL Listed
- Top & Sides - Painted Black
- Front & Back Panels – Painted White or Specify Paint Color
- Two Vane-Type Pumping Units (pumps only)
- Two 1 HP Motors (pumps only), (Note r and gg) 230V 60Hz
- Two Parallel 4-Piston Positive Displacement Meters
- Filter Adapter, Internal w/ Std Filter – Base Option F
- Less Hose & Nozzle

Suction Pump

UP TO 40 GPM*

Model	Description	Note	Price Option Name	Price
9840K DFZ	Single, Front Nozzle	cc,ee	A9-840S1F-0P	\$10,298
9840K DF	Single, Side Nozzle	cc	A9-840S1S-0P	\$10,188

Remote Dispenser

UP TO 40 GPM*

Model	Description	Note	Price Option Name	Price
9840KX DFZ	Single, Front Nozzle	ee	A9-840S1F-0D	\$7,423
9840KX DF	Single, Side Nozzle		A9-840S1S-0D	\$7,400

*Delivery rates shown are maximum test rates. Actual rates will vary depending upon installation conditions, product dispensed, added accessories, if applicable, the size of the submersible pump. Twin models are single hose flow. For Standard flow (15gpm), use 3/4" hose and nozzle.

- Suitable for use with conventional motor fuels, oxygenated fuel blends up to 15% ethanol (E15), and bio-diesel blends up to 20% (B20).
- Front nozzle models are for lane-oriented applications. Volume displays are on the side with the nozzle boot only.

Extended Warranty Options		Dispenser without Prime		Dispenser Including Prime	
Description		Price Option Name	Price	Price Option Name	Price
2nd Year		Z-WAT-984002	\$417	Z-WAP-984002	\$1,483
3rd Year		Z-WAT-984003	\$417	Z-WAP-984003	\$1,483
4th Year		Z-WAT-984004	\$417	Z-WAP-984004	\$1,483
5th Year		Z-WAT-984005	\$417	Z-WAP-984005	\$1,483

Provides the standard Gasboy warranty per MDE-4255 for the warranty term purchased beginning from the installation date. **Must be purchased with original equipment order.**

Atlas Commercial Pumps & Dispensers

Gasboy Atlas 9840K Series

Options and Accessories

Part #	Description	Note	Price Option Name	Price/Ea	Availability		Qty Req'd per unit		
					Pump	Disp	Single	TW1	TW2

(All prices are per hose except as noted otherwise. Options on twins cannot be split.)

Base Options

	230 VAC, 50/60 Hz Operation		Z-AT0-H00230	N/C	N/A	Y	1	N/A	N/A
2	115/230 VAC, 60 Hz Motor	r	Z-AT0-H02115	N/C	Y	N/A	1	N/A	N/A
25	115/230 VAC, 50 Hz. Motor	r	Z-AT0-H25115	N/C	Y	N/A	1	N/A	N/A
35	380 VAC, 50 Hz. Motor	r	Z-AT0-H35380	N/C	Y	N/A	1	N/A	N/A
ATC-1	ATC, Single*		Z-AT0-HATCSA	\$1,990	Y	Y	1	N/A	N/A
ATC-2	ATC, Dual*		Z-AT0-HATCDA	\$2,231	N/A	N/A	N/A	N/A	N/A
D5	TopKAT PLUS Mounting Kit		Z-AT0-GTKM00	\$393	Y	Y	1	N/A	N/A
F	Filter Adapter, Internal	e	Z-AT0-GFLT00	STD	Y	Y	2	N/A	N/A
I	Hose Retractor, Internal		Z-AT0-GHRI01	\$120	Y	Y	1	N/A	N/A
L	Light		Z-AT0-GLTL02	\$293	Y	Y	1	N/A	N/A
PP	Slowdown Valve, 1-1/2"	p	Z-AT0-GVPP00	N/C	Y	Y	2	N/A	N/A
R	Liter Registration (9840K series)		Z-AT0-HLMR04	\$404	Y	Y	1	N/A	N/A
S	Satellite Internal Piping - 9840KX only	h	Z-AT0-HSPS00	\$91	N/A	Y	1	N/A	N/A
SS	Stainless Steel - All Panels		Z-AT0-ISSA00	\$474	Y	Y	1	N/A	N/A
SSA	Stainless Steel - Front & Back		Z-AT0-ISSFB0	\$231	Y	Y	1	N/A	N/A
SSTS	Stainless Steel - Top & Sides		Z-AT0-ISSTS0	\$252	Y	Y	1	N/A	N/A

Other Accessories

Part #	Description	Note	Price Option Name	Price/Ea	Availability		Qty Req'd per unit		
					Pump	Disp	Single	TW1	TW2
G032754	External Filter - 10 Micron	k,s	Z-AT0-AFESS4	\$206	Y	Y	1	N/A	N/A
G032755	External Filter - Hydrosorb	k,s	Z-AT0-AFEHS5	\$231	Y	Y	1	N/A	N/A
R18896-G2	Filter Blanking Cap		Z-AT0-AFBC00	\$64	Y	Y	2	N/A	N/A
R18189-10	Internal Filter, Standard 10 Micron	j	Z-AT0-AFI1MS	N/C	Y	Y	2	N/A	N/A
R18189-30	Internal Filter, Standard 30 Micron	j	Z-AT0-AFI3MS	N/C	Y	Y	2	N/A	N/A
M08007B010	Internal Filter, Water Alert II 10 Micron	j	Z-AT0-AFW1MS	\$52	Y	Y	2	N/A	N/A
M08007B030	Internal Filter, Water Alert II 30 Micron	j	Z-AT0-AFW3MS	\$46	Y	Y	2	N/A	N/A
*****	RS485 Interface	w	Z-AT0-ARSI00	\$408	Y	Y	1	N/A	N/A
*****	RS485 Interface, Atlas PRIME	w	Z-AT0-ARSI10	N/C	Y	Y	1	N/A	N/A
*****	Pulse Output, Dual Channel Dual Pulse	x,y	Z-AT0-APULID	\$414	Y	Y	1	N/A	N/A
C05818	Resistor Assembly, 115V	z	Z-AT0-ARA115	\$39	Y	Y	1	N/A	N/A
C06683	Resistor Assembly, 230V	z	Z-AT0-ARA230	\$39	Y	Y	1	N/A	N/A
*****	Totalizer, Elec. Mech. Accum (Ltr)	bb	Z-AT0-GEMT0L	\$187	Y	Y	1	N/A	N/A
*****	Totalizer, Elec. Mech. Accum (Gal)	bb	Z-AT0-GEMT0G	\$187	Y	Y	1	N/A	N/A

*ATC Measurement Canada approved. Field installation required.

**Per Side - Requires "Z" option.

Atlas Commercial Pumps & Dispensers

Gasboy Atlas 9840K Series

Notes:

- a. Model 52A Pressure Reg. valve is required for AST installation. TW2 require 2 valves.
- b. This model should not be used with AST due to flow restrictions of the Pressure Regulation Valve.
- c. EK Pulser & Top Mounting Kits include the necessary pulsers, top cabinet panels & wiring for factory installed Electrical Keytrol. See EK price list for EK consoles. Gallons use 10:1 and Liters use 1:1 option.
- d. For pulse output to remote EK, Gasboy fuel mgmt. system, or other mfg.'s control systems. All options available for gallon or liter measure. CX not approved for W&M applications except for Electric Keytrol.
- e. F option = adapter only. Must specify internal filter element part number.
- f. Standard on dispensers & 9153KTW1.
- g. N/A with EK or Light options. Zero start model provided unless accumulative model is specified. Liters not available.
- h. Satellite piping available on remote dispensers only.
- i. Hand crank is N/A on remote dispensers, TW1 pumps, or w/ PP option.
- j. Requires F (filter adapter) option.
- k. Kits include adapter, filter element pipe fittings and filter cap. Not for use w/ methanol.
- l. VR Kit includes special VR nozzle boot & hanger only for side load, front load is convertible to VR boot and hook as standard.
- m. Kit for Balanced VR System - includes vapor boot, hook, splitter, and feeder hose. Pump models include internal vapor piping. Does NOT include Co-Ax hoses, nozzle, breakaway, swivel, or HHR - order separately. Requires Field Installation.
- n. VR 10 max. sale \$999.99, max price \$9.99. R.H. money wheel displays \$0.00 to \$0.90 (numbered 00, 10, 20.....90) with indicator lines every two cents.
- o. Accum. totalizer instead shows on reverse side (front).
- p. Slowdown valve - standard on remote disp, and TW1M & TW1 pumps.
- q. HP c.d. motor for single phase application, 3/4 HP c.d. motor for 3 phase applications.
- r. R18896-G2 Blanking Cap included.
- s. Not available with EK option.
- t. Vapor recovery not available on TW1M pumps.
- u. Requires Gilbarco Universal Distribution Box.
- v. For direct connection with Gasboy PLUS and PRIME Controllers.
- w. Provides pulse output for Series 1000, remote-mount Electrical Keytrol, or other mfgs control systems.
- x. Provides two pulse outputs - one for fuel Mgt, one for tank monitor, twin hose.
- y. Required for Series 1000 System. One required per hose for the AC auth. Input when connecting to control devices w/ solid state relays.
- z. For the direct drive of sub pumps, up to 3/4 hp, 120V; up to 1 1/2 hp, 240V. Not required with external relay box.
- aa. Required by W&M for resale applications. Non-resettable.
- bb. 9840K Pump should not be used with above ground tanks (ASTs), due to excessive restriction from Pressure Regulating Valve (not included).
- cc. Above ground tank kit is required for the 9850K pump for ASTs.
- dd. Front nozzle models are for lane-oriented applications. Volume displays are on the side with the nozzle only.
- ee. TW3 Master/Satellite combo includes (in a single cabinet) a master unit on one side and a satellite for a different master on the back side.
- ff. 9840K and 9850K pump motors require 230V service.
- gg. Satellite piping available on dispensers and suction models. Note different price because it includes an extra solenoid valve.
- hh. Warm Weather (WW) model does not include internal heaters and should not be used where ambient temperatures will fall below 12°F - DEF will freeze.
- ii. Warm Weather (WW) model not warranted for DEF freeze damage.
- jj. See Atlas Install Manual **MDE-4331K** for boot side and non-boot side inlet clarification.
- kk. Must use DEF compatible Hose, Nozzle and Breakaway Swivel.
- ll. Includes mis-fueling prevention.
- mm. Standard nozzle without mis-fueling prevention.
- nn. Mounts to 042082 ASTRA pedestal.
- oo. Vapor recovery system cannot exceed 10 gpm. Use flow reducer if needed for application.
- pp. Includes coaxial-to-standard hose outlet adapter & o-rings.

Page intentionally left blank.

Atlas Commercial Pumps & Dispensers

Gasboy Atlas 9850K Series

Electronic Fleet Dispensers

All Models

- 1" Super-brite Backlit LCD Display – (Meets W&M Display Last Transaction Rqmt.)
- Electronic Totalizer (999999)
- Brand Panel (Light - Extra Option)
- DC Conduit & J-Box (D Suffix)
- 2" Inlet
- 1-1/2" Solenoid (dispenser only)
- Less hose & nozzle
- Front & Back Panels – Painted White or Specify Paint Color
- Single 1-1/2 HP Motor, c.d., (pumps only) 230V/60Hz
- Single High Flow Liquid Controls Meter
- 1-1/4" Outlet (supplied w/ 1" bushing)
- Single High Speed Rotary Vane-Type Pumping Unit (pumps only)
- Top & Sides - Painted Black
- UL/cUL Listed



Suction Pump

UP TO 50 GPM*

Model	Description	Note	Price Option Name	Price
9850K DZ	Single, Front Nozzle	dd,ee	A9-850S1F-0P	\$11,649
9850K D	Single, Side Nozzle	dd,ee	A9-850S1S-0P	\$11,530
9850KTW3 DZ	Combo Master/Satellite, Front Nozzle	dd,ee,ff	A9-850C0F-0P	\$14,828

Remote Dispenser

UP TO 50 GPM*

Model	Description	Note	Price Option Name	Price
9850KX DZ	Single, Front Nozzle	ee	A9-850S1F-0D	\$7,959
9850KXTW1 DZ	Twin, Front Nozzle, 1 product	ee	A9-850T1F-0D	\$13,472
9850KXTW2 DZ	Twin, Front Nozzle, 2 product	ee	A9-850T2F-0D	\$13,381
9850KX D	Single, Side Nozzle		A9-850S1S-0D	\$7,857
9850KXTW1 D	Twin, Side Nozzle, 1 product		A9-850T1S-0D	\$13,395
9850KXTW2 D	Twin, Side Nozzle, 2 product		A9-850T2S-0D	\$13,306
9850KXTW3 DZ	Combo Master/Satellite, Front Nozzle	ee,ff	A9-850C0F-0D	\$9,946

*Delivery rates shown are maximum test rates. Actual rates will vary depending upon installation conditions, product dispensed, added accessories, if applicable, the size of the submersible pump. Twin models are single hose flow. For Standard flow (15gpm), use 3/4" hose and nozzle.

- Suitable for use with conventional motor fuels, oxygenated fuel blends up to 15% ethanol (E15), and bio-diesel blends up to 20% (B20).
- Front nozzle models are for lane-oriented applications. Volume displays are on the side with the nozzle boot only.

Extended Warranty Options		Dispenser without Prime		Dispenser Including Prime	
Description	Price Option Name	Price	Price Option Name	Price	
2nd Year	Z-WAT-985002	\$417	Z-WAP-985002	\$1,483	
3rd Year	Z-WAT-985003	\$417	Z-WAP-985003	\$1,483	
4th Year	Z-WAT-985004	\$417	Z-WAP-985004	\$1,483	
5th Year	Z-WAT-985005	\$417	Z-WAP-985005	\$1,483	

Provides the standard Gasboy warranty per MDE-4255 for the warranty term purchased beginning from the installation date.
Must be purchased with original equipment order.

Atlas Commercial Pumps & Dispensers

Gasboy Atlas 9850K Series Options and Accessories

					Availability		Qty Req'd per unit			
Part #	Description	Note	Price Option Name	Price/Ea	Pump	Disp	Single	TW1	TW2	TW3
(All prices are per hose except as noted otherwise. Options on twins cannot be split.)										
Base Options										
	230 VAC, 50/60 Hz Operation		Z-AT0-H00230	N/C	N/A	Y	1	1	1	1
2	230 VAC, 60 Hz Motor	r	Z-AT0-H02230	N/C	Y	N/A	1	N/A	N/A	1
25	230 VAC, 50 Hz Motor	r	Z-AT0-H25230	N/C	Y	N/A	1	N/A	N/A	1
ATC-1	ATC, Single*		Z-AT0-HATCSA	\$1,990	Y	Y	1	N/A	N/A	1
ATC-2	ATC, Dual*		Z-AT0-HATCDA	\$2,231	Y	Y	N/A	1	1	N/A
D5	TopKAT PLUS Mounting Kit		Z-AT0-GTKM00	\$393	Y	Y	1	1	1	1
L	Light		Z-AT0-GLTL02	\$293	Y	Y	1	1	1	1
PP	Slowdown Valve, 1-1/2"	p	Z-AT0-GVPP00	N/C	Y	Y	1	2	2	1
PPS	Satellite Internal Piping - 9850 K Pump	hh	Z-AT0-HSPS05	\$699	Y	N/A	1	N/A	N/A	1
R	Liter Registration (9850K series)		Z-AT0-HLMR05	\$207	Y	Y	1	1	1	1
S	Satellite Internal Piping - 9850KX		Z-AT0-HSPS00	\$91	N/A	Y	1	2	2	1
SS	Stainless Steel - All Panels		Z-AT0-ISSA00	\$474	Y	Y	1	1	1	1
SSA	Stainless Steel - Front & Back		Z-AT0-ISSF00	\$231	Y	Y	1	1	1	1
SSTS	Stainless Steel - Top & Sides		Z-AT0-ISSTS0	\$252	Y	Y	1	1	1	1

Part #	Description	Note	Price Option Name	Price/Ea	Availability		Qty Req'd per unit			
					Pump	Disp	Single	TW1	TW2	TW2
G032060	Aboveground Tank Kit	dd	Z-AT0-AATK00	\$1,198	Y	N/A	1	1	N/A	1
G032752	External Filter (Dual) - 10 Micron		Z-AT0-AFESD4	\$508	Y	Y	1	2	2	2
G032753	External Filter (Dual) - Hydrosorb		Z-AT0-AFEHD5	\$541	Y	Y	1	2	2	2
G032754	External Filter (Single) - 10 Micron		Z-AT0-AFESS4	\$206	Y	Y	1	2	2	2
G032755	External Filter (Single) - Hydrosorb		Z-AT0-AFEHS5	\$231	Y	Y	1	2	2	2
*****	RS485 Interface	w	Z-AT0-ARSI00	\$408	Y	Y	1	1	1	1
*****	RS485 Interface, Atlas PRIME	w	Z-AT0-ARSI10	N/C	Y	Y	1	1	1	1
*****	Pulse Output, Dual Channel Dual Pulse	x,y	Z-AT0-APULID	\$414	Y	Y	1	1	1	1
C05818	Resistor Assembly, 115V	z	Z-AT0-ARA115	\$39	Y	Y	1	2	2	1
C06683	Resistor Assembly, 230V	z	Z-AT0-ARA230	\$39	Y	Y	1	2	2	1
*****	Totalizer Mechanical (Gal) - Single	bb	Z-AT0-GEMTSG	\$187	Y	Y	1	N/A	N/A	1
*****	Totalizer Mechanical (Gal) - Twin	bb	Z-AT0-GEMTTG	\$375	Y	Y	N/A	1	1	N/A
*****	Totalizer Mechanical (Ltr) - Single	bb	Z-AT0-GEMTSL	\$187	Y	Y	1	N/A	N/A	1
*****	Totalizer Mechanical (Ltr) - Twin	bb	Z-AT0-GEMTTL	\$375	Y	Y	N/A	1	1	N/A

*ATC Measurement Canada approved. Field installation required.

**Per Side - Requires "Z" option. TW3 is one side only.

Atlas Commercial Pumps & Dispensers

Gasboy Atlas 9850K Series

Notes:

- a. Model 52A Pressure Reg. valve is required for AST installation. TW2 require 2 valves.
- b. This model should not be used with AST due to flow restrictions of the Pressure Regulation Valve.
- c. EK Pulser & Top Mounting Kits include the necessary pulsers, top cabinet panels & wiring for factory installed Electrical Keytrol. See EK price list for EK consoles. Gallons use 10:1 and Liters use 1:1 option.
- d. For pulse output to remote EK, Gasboy fuel mgmt. system, or other mfg.'s control systems. All options available for gallon or liter measure. CX not approved for W&M applications except for Electric Keytrol.
- e. F option = adapter only. Must specify internal filter element part number.
- f. Standard on dispensers & 9153KTW1.
- g. N/A with EK or Light options. Zero start model provided unless accumulative model is specified. Liters not available.
- h. Satellite piping available on remote dispensers only.
- i. Hand crank is N/A on remote dispensers, TW1 pumps, or w/ PP option.
- j. Requires F (filter adapter) option.
- k. Kits include adapter, filter element pipe fittings and filter cap. Not for use w/ methanol.
- l. VR Kit includes special VR nozzle boot & hanger only for side load, front load is convertible to VR boot and hook as standard.
- m. Kit for Balanced VR System - includes vapor boot, hook, splitter, and feeder hose. Pump models include internal vapor piping. Does NOT include Co-Ax hoses, nozzle, breakaway, swivel, or HHR - order separately. Requires Field Installation.
- n. VR 10 max. sale \$999.99, max price \$9.99. R.H. money wheel displays \$0.00 to \$0.90 (numbered 00, 10, 20.....90) with indicator lines every two cents.
- o. Accum. totalizer instead shows on reverse side (front).
- p. Slowdown valve - standard on remote disp, and TW1M & TW1 pumps.
- q. HP c.d. motor for single phase application, 3/4 HP c.d. motor for 3 phase applications.
- r. R18896-G2 Blanking Cap included.
- s. Not available with EK option.
- t. Vapor recovery not available on TW1M pumps.
- u. Requires Gilbarco Universal Distribution Box.
- v. For direct connection with Gasboy PLUS and PRIME Controllers.
- w. Provides pulse output for Series 1000, remote-mount Electrical Keytrol, or other mfgs control systems.
- x. Provides two pulse outputs - one for fuel Mgt, one for tank monitor, twin hose.
- y. Required for Series 1000 System. One required per hose for the AC auth. Input when connecting to control devices w/ solid state relays.
- z. For the direct drive of sub pumps, up to 3/4 hp, 120V; up to 1 1/2 hp, 240V. Not required with external relay box.
- aa. Required by W&M for resale applications. Non-resettable.
- bb. 9840K Pump should not be used with above ground tanks (ASTs), due to excessive restriction from Pressure Regulating Valve (not included).
- cc. Above ground tank kit is required for the 9850K pump for ASTs.
- dd. Front nozzle models are for lane-oriented applications. Volume displays are on the side with the nozzle only.
- ee. TW3 Master/Satellite combo includes (in a single cabinet) a master unit on one side and a satellite for a different master on the back side.
- ff. 9840K and 9850K pump motors require 230V service.
- gg. Satellite piping available on dispensers and suction models. Note different price because it includes an extra solenoid valve.
- hh. Warm Weather (WW) model does not include internal heaters and should not be used where ambient temperatures will fall below 12°F - DEF will freeze.
- ii. Warm Weather (WW) model not warranted for DEF freeze damage.
- jj. See Atlas Install Manual **MDE-4331K** for boot side and non-boot side inlet clarification.
- kk. Must use DEF compatible Hose, Nozzle and Breakaway Swivel.
- ll. Includes mis-fueling prevention.
- mm. Standard nozzle without mis-fueling prevention.
- nn. Mounts to 042082 ASTRA pedestal.
- oo. Vapor recovery system cannot exceed 10 gpm. Use flow reducer if needed for application.
- pp. Includes coaxial-to-standard hose outlet adapter & o-rings.

Page intentionally left blank.

Atlas Commercial Pumps & Dispensers

Gasboy Atlas 9860K Series

Electronic Diesel Exhaust Fuel Dispenser

All Models

- Stainless Steel DEF Hydraulics
- Mass Flow Meter w/Electronic Calibration (W&M Approved)
- Super-brite LCD Display - (Meets W&M DLT w/o Battery)
- 115 VAC Operation Only

Cold Weather Model Only

- Heated Cabinet
- Automatic Hose Reel & Nozzle Cover
- Front Load Only



Cold Weather Model



Warm Weather Model

Cold Weather Model with Heater (CW)

Remote Dispenser

Recommended for ambient temperatures down to -22°F (-30°C)

Model	Description	Note	Price Option Name	Price
9862KX-Z	Single Front Load Dispenser		A9-862S1F-CD	\$14,474

Warm Weather Model (WW)

Remote Dispenser

Recommended for ambient temperatures down to 12°F (-11°C)

Model	Description	Note	Price Option Name	Price
9862KX-ZWW	Single Front Load Dispenser	ii,jj	A9-862S1F-WD	\$9,311
9862KX-WW	Single Side Load Dispenser	ii,jj	A9-862S1S-WD	\$9,190

'- Above units are for dispensing Diesel Exhaust Fluids Only.

Atlas Commercial Pumps & Dispensers

Gasboy 9860K DEF Series

Options and Accessories

Part #	Description	Note	Price Option Name	CW Price/ Ea	WW Price/ Ea	Availability Disp Only
--------	-------------	------	-------------------	-----------------	-----------------	---------------------------

(All prices are per hose except as noted otherwise. Options on twins cannot be split.)

Base Options						
D5	TopKAT PLUS Mounting Kit		Z-AT0-GTKM00	\$393	\$393	Y
L	Light		Z-AT0-GLTL02	\$293	\$293	Y
PP	Slowdown Valve		Z-AT0-GVPP00	STD	STD	Y
R	Liter Measure		Z-AT0-HLMR00	\$66	\$66	Y
SS	Stainless Steel - All Panels		Z-AT0-ISSA00	N/A	\$474	Y
SSA	Stainless Steel - Front & Back		Z-AT0-ISSFB0	N/A	\$231	Y
SSTS	Stainless Steel - Top & Sides		Z-AT0-ISSTS0	\$252	\$252	Y
Bottom Inlet	Bottom Inlet		Z-AT0-BINLTD	N/C	N/C	Y
Boot Side Inlet	Nozzle Boot Side Inlet - Right Side (facing field junction box)	kk	Z-AT0-NBSIRD	N/A	N/C	Y
Non-Boot Side Inlet	Nozzle Boot Side Inlet - Left Side (facing field junction box)	kk	Z-AT0-NBSILD	N/C	N/C	Y

Other Accessories						
Part #	Description	Note	Price Option Name	CW Price/Ea	WW Price/Ea	Disp Only
*****	RS485 Interface	w	Z-AT0-ARSI00	\$408	\$408	Y
*****	RS485 Interface, Atlas PRIME	w	Z-AT0-ARSI10	N/C	N/C	Y
*****	Pulse Output, Dual Channel Dual Pulse	z	Z-AT0-APULID	\$414	\$414	Y
*****	Totalizer Electro-Mechanical (Gal) - Single	bb	Z-AT0-GEMTSG	\$187	\$187	Y
*****	Subm. Drive Relays: Single		Z-AT0-FSDRS0	\$102	\$102	Y

Hoses, Nozzles, Breakaway						
Description		Note	Price Option Name	CW Price/Ea	WW Price/Ea	Disp Only
M10226B103	DEF Hose (11 ft)	mm	Z-HH0-DOHC00	\$395	\$395	Y
M10226B101	DEF Hose (17.4 ft)	mm	Z-HH0-DOHR00	N/A	\$803	Y
M10258B001	DEF Breakaway & Swivel (SST)	mm	Z-HH0-DBSS00	\$950	\$950	Y
M10257B001	DEF Nozzle Gilbarco Style Guard with Magnetic Misfill	mm	Z-HH0-DNZM00	\$1,355	N/A	Y
M10257B002	DEF Nozzle Gilbarco Style Guard No Magnetic Misfill	mm	Z-HH0-DNZ000	\$1,355	N/A	Y
M10257B003	DEF Nozzle Standard Guard with Magnetic Misfill	mm	Z-HH0-DNZM03	N/A	\$1,355	Y
M10257B004	DEF Nozzle Standard Guard no Magnetic Misfill	mm	Z-HH0-DNZ004	N/A	\$1,355	Y

Atlas Commercial Pumps & Dispensers

Gasboy Atlas 9860K Series

Notes:

- a. Model 52A Pressure Reg. valve is required for AST installation. TW2 require 2 valves.
- b. This model should not be used with AST due to flow restrictions of the Pressure Regulation Valve.
- c. EK Pulser & Top Mounting Kits include the necessary pulsers, top cabinet panels & wiring for factory installed Electrical Keytrol. See EK price list for EK consoles. Gallons use 10:1 and Liters use 1:1 option.
- d. For pulse output to remote EK, Gasboy fuel mgmt. system, or other mfg.'s control systems. All options available for gallon or liter measure. CX not approved for W&M applications except for Electric Keytrol.
- e. F option = adapter only. Must specify internal filter element part number.
- f. Standard on dispensers & 9153KTW1.
- g. N/A with EK or Light options. Zero start model provided unless accumulative model is specified. Liters not available.
- h. Satellite piping available on remote dispensers only.
- i. Hand crank is N/A on remote dispensers, TW1 pumps, or w/ PP option.
- j. Requires F (filter adapter) option.
- k. Kits include adapter, filter element pipe fittings and filter cap. Not for use w/ methanol.
- l. VR Kit includes special VR nozzle boot & hanger only for side load, front load is convertible to VR boot and hook as standard.
- m. Kit for Balanced VR System - includes vapor boot, hook, splitter, and feeder hose. Pump models include internal vapor piping. Does NOT include Co-Ax hoses, nozzle, breakaway, swivel, or HHR - order separately. Requires Field Installation.
- n. VR 10 max. sale \$999.99, max price \$9.99. R.H. money wheel displays \$0.00 to \$0.90 (numbered 00, 10, 20.....90) with indicator lines every two cents.
- o. Accum. totalizer instead shows on reverse side (front).
- p. Slowdown valve - standard on remote disp, and TW1M & TW1 pumps.
- q. HP c.d. motor for single phase application, 3/4 HP c.d. motor for 3 phase applications.
- r. R18896-G2 Blanking Cap included.
- s. Not available with EK option.
- t. Vapor recovery not available on TW1M pumps.
- u. Requires Gilbarco Universal Distribution Box.
- v. For direct connection with Gasboy PLUS and PRIME Controllers.
- w. Provides pulse output for Series 1000, remote-mount Electrical Keytrol, or other mfgs control systems.
- x. Provides two pulse outputs - one for fuel Mgt, one for tank monitor, twin hose.
- y. Required for Series 1000 System. One required per hose for the AC auth. Input when connecting to control devices w/ solid state relays.
- z. For the direct drive of sub pumps, up to 3/4 hp, 120V; up to 1 1/2 hp, 240V. Not required with external relay box.
- aa. Required by W&M for resale applications. Non-resettable.
- bb. 9840K Pump should not be used with above ground tanks (ASTs), due to excessive restriction from Pressure Regulating Valve (not included).
- cc. Above ground tank kit is required for the 9850K pump for ASTs.
- dd. Front nozzle models are for lane-oriented applications. Volume displays are on the side with the nozzle only.
- ee. TW3 Master/Satellite combo includes (in a single cabinet) a master unit on one side and a satellite for a different master on the back side.
- ff. 9840K and 9850K pump motors require 230V service.
- gg. Satellite piping available on dispensers and suction models. Note different price because it includes an extra solenoid valve.
- hh. Warm Weather (WW) model does not include internal heaters and should not be used where ambient temperatures will fall below 12°F - DEF will freeze.
- ii. Warm Weather (WW) model not warranted for DEF freeze damage.
- jj. See Atlas Install Manual **MDE-4331K** for boot side and non-boot side inlet clarification.
- kk. Must use DEF compatible Hose, Nozzle and Breakaway Swivel.
- ll. Includes mis-fueling prevention.
- mm. Standard nozzle without mis-fueling prevention.
- nn. Mounts to 042082 ASTRA pedestal.
- oo. Vapor recovery system cannot exceed 10 gpm. Use flow reducer if needed for application.
- pp. Includes coaxial-to-standard hose outlet adapter & o-rings.

Page intentionally left blank.

Atlas Commercial Pumps & Dispensers

Gasboy Atlas 9870K E85 Series

Electronic Fleet Dispensers - E85



All Models

- 1" Super-brite Backlit LCD Display – (Meets W&M Display Last Transaction Rqmt.)
- Electronic Totalizer (999999)
- Top & Sides – Painted Black
- Front & Back Panels – Painted White or Specify Color"
- Brand Panel (Light – Extra Option)
- DC Conduit & J-Box (D Suffix)
- Less Hose & Nozzle
- UL Listed
- Filter Adapter, Internal w/ Std Filter Base Option F"
- 3/4" Discharge
- Hose Hook

E-85 Remote Dispenser

UP TO 15 GPM*

Model	Description	Note	Price Option Name	Price
9872KX F	Single, Side Load		A9-872S1S-0D	\$5,896
9872KX FZ	Single, Front Load		A9-872S1F-0D	\$5,896
9872KXTW1 Z	Twin-One Product, Front Load		A9-872T1F-0D	\$10,648

*Delivery rates shown are maximum test rates. Actual rates will vary depending upon installation conditions, product dispensed, added accessories, if applicable, the size of the submersible pump. Twin models are single hose flow. For Standard flow (15gpm), use 3/4" hose and nozzle.

- Suitable for use with conventional motor fuels, oxygenated fuel blends up to 15% ethanol (E15), and bio-diesel blends up to 20% (B20).
- Front nozzle models are for lane-oriented applications. Volume displays are on the side with the nozzle boot only.

Extended Warranty Options		Dispenser without Prime		Dispenser Including Prime	
Description	Price Option Name	Price	Price Option Name	Price	
2nd Year	Z-WAT-987002	\$417	Z-WAP-987002	\$1,483	
3rd Year	Z-WAT-987003	\$417	Z-WAP-987003	\$1,483	
4th Year	Z-WAT-987004	\$417	Z-WAP-987004	\$1,483	
5th Year	Z-WAT-987005	\$417	Z-WAP-987005	\$1,483	

Provides the standard Gasboy warranty per MDE-4255 for the warranty term purchased beginning from the installation date. Must be purchased with original equipment order.

Atlas Commercial Pumps & Dispensers

Gasboy Atlas 9870K E85 Series Options and Accessories

Part #	Description	Note	Price Option Name	Price/Ea	Availability	Qty Req'd per unit		
					Disp Only	Single	TW1	TW2

(All prices are per hose except as noted otherwise. Options on twins cannot be split.)

Base Options

	230VAC, 50/60 Hz Operation		Z-AT0-H00230	N/C	Y	1	1	N/A
D5	TopKAT PLUS Mounting Kit		Z-AT0-GTKM00	\$393	Y	1	1	N/A
F	Filter Adapter, Internal	e	Z-AT0-GFLT00	STD	Y	1	1	N/A
L	Light		Z-AT0-GLTL02	\$293	Y	1	1	N/A
PP	Slowdown Valve, 1" High Flow	f	Z-AT0-GVPP00	N/C	Y	1	2	N/A
R	Liter Measure		Z-AT0-HLMR00	\$66	Y	1	1	N/A
SS	Stainless Steel - All Panels		Z-AT0-ISSA00	\$474	Y	1	1	N/A
SSA	Stainless Steel - Front & Back		Z-AT0-ISSFB0	\$231	Y	1	1	N/A
SSTS	Stainless Steel - Top & Sides		Z-AT0-ISSTS0	\$252	Y	1	1	N/A

Other Accessories

Part #	Description	Note	Price Option Name	Price/Ea	Availability	Qty Req'd per unit		
					Disp Only	Single	TW1	TW2
M08005B010	Internal Filter, Standard 10 micron - E85 Compatible	j	Z-AT0-AFI1ME	N/C	Y	1	1	N/A
*****	RS485 Interface	w	Z-AT0-ARSI00	\$408	Y	1	1	N/A
*****	RS485 Interface, Atlas PRIME	w	Z-AT0-ARSI10	N/C	Y	1	1	N/A
*****	Pulse Output, Dual Channel Dual Pulse	x,y	Z-AT0-APULID	\$414	Y	1	1	N/A
*****	Totalizer, Elec. Mech. Accum (Ltr)	bb	Z-AT0-GEMT0L	\$187	Y	1	2	N/A
*****	Totalizer, Elec. Mech. Accum (Gal)	bb	Z-AT0-GEMT0G	\$187	Y	1	2	N/A

Hoses, Nozzles, Breakaway

Part #	Description	Note	Price Option Name	Price/Ea	Availability	Qty Req'd per unit		
					Disp Only	Single	TW1	TW2
HHE6G100BKE1	E85 Hose, 3/4" x 10' Black		Z-HH0-EH610B	\$436	Y	1	1	N/A
HHE6G010BKE1	E85 Whip Hose, 3/4" x 1' Black		Z-HH0-EH601B	\$179	Y	1	1	N/A
M11298B001	E85 Nozzle, OPW 21GE Black		Z-HHP-ENZ21B	\$478	Y	1	1	N/A
M11298B002	E85 Nozzle, OPW 21GE Yellow		Z-HHP-ENZ21Y	\$478	Y	1	1	N/A
N23020-10	E85 Breakaway, OPW 66V (3/4")		Z-HHP-EB066V	\$209	Y	1	1	N/A
N23748-04	E85 Swivel, OPW 241 TPS (3/4")		Z-HHP-ESW60B	\$125	Y	1	1	N/A
T19695-23	E85 Shear Valve, OPW 10P (1.5" Dbl Pop)		Z-HHP-ESH10B	\$529	Y	1	1	N/A

*Per side -Requires Z option

Atlas Commercial Pumps & Dispensers

Gasboy Atlas 9870K Series

Notes:

- a. Model 52A Pressure Reg. valve is required for AST installation. TW2 require 2 valves.
- b. This model should not be used with AST due to flow restrictions of the Pressure Regulation Valve.
- c. EK Pulser & Top Mounting Kits include the necessary pulsers, top cabinet panels & wiring for factory installed Electrical Keytrol. See EK price list for EK consoles. Gallons use 10:1 and Liters use 1:1 option.
- d. For pulse output to remote EK, Gasboy fuel mgmt. system, or other mfg.'s control systems. All options available for gallon or liter measure. CX not approved for W&M applications except for Electric Keytrol.
- e. F option = adapter only. Must specify internal filter element part number.
- f. Standard on dispensers & 9153KTW1.
- g. N/A with EK or Light options. Zero start model provided unless accumulative model is specified. Liters not available.
- h. Satellite piping available on remote dispensers only.
- i. Hand crank is N/A on remote dispensers, TW1 pumps, or w/ PP option.
- j. Requires F (filter adapter) option.
- k. Kits include adapter, filter element pipe fittings and filter cap. Not for use w/ methanol.
- l. VR Kit includes special VR nozzle boot & hanger only for side load, front load is convertible to VR boot and hook as standard.
- m. Kit for Balanced VR System - includes vapor boot, hook, splitter, and feeder hose. Pump models include internal vapor piping. Does NOT include Co-Ax hoses, nozzle, breakaway, swivel, or HHR - order separately. Requires Field Installation.
- n. VR 10 max. sale \$999.99, max price \$9.99. R.H. money wheel displays \$0.00 to \$0.90 (numbered 00, 10, 20.....90) with indicator lines every two cents.
- o. Accum. totalizer instead shows on reverse side (front).
- p. Slowdown valve - standard on remote disp, and TW1M & TW1 pumps.
- q. HP c.d. motor for single phase application, 3/4 HP c.d. motor for 3 phase applications.
- r. R18896-G2 Blanking Cap included.
- s. Not available with EK option.
- t. Vapor recovery not available on TW1M pumps.
- u. Requires Gilbarco Universal Distribution Box.
- v. For direct connection with Gasboy PLUS and PRIME Controllers.
- w. Provides pulse output for Series 1000, remote-mount Electrical Keytrol, or other mfgs control systems.
- x. Provides two pulse outputs - one for fuel Mgt, one for tank monitor, twin hose.
- y. Required for Series 1000 System. One required per hose for the AC auth. Input when connecting to control devices w/ solid state relays.
- z. For the direct drive of sub pumps, up to 3/4 hp, 120V; up to 1 1/2 hp, 240V. Not required with external relay box.
- aa. Required by W&M for resale applications. Non-resettable.
- bb. 9840K Pump should not be used with above ground tanks (ASTs), due to excessive restriction from Pressure Regulating Valve (not included).
- cc. Above ground tank kit is required for the 9850K pump for ASTs.
- dd. Front nozzle models are for lane-oriented applications. Volume displays are on the side with the nozzle only.
- ee. TW3 Master/Satellite combo includes (in a single cabinet) a master unit on one side and a satellite for a different master on the back side.
- ff. 9840K and 9850K pump motors require 230V service.
- gg. Satellite piping available on dispensers and suction models. Note different price because it includes an extra solenoid valve.
- hh. Warm Weather (WW) model does not include internal heaters and should not be used where ambient temperatures will fall below 12°F - DEF will freeze.
- ii. Warm Weather (WW) model not warranted for DEF freeze damage.
- jj. See Atlas Install Manual **MDE-4331K** for boot side and non-boot side inlet clarification.
- kk. Must use DEF compatible Hose, Nozzle and Breakaway Swivel.
- ll. Includes mis-fueling prevention.
- mm. Standard nozzle without mis-fueling prevention.
- nn. Mounts to 042082 ASTRA pedestal.
- oo. Vapor recovery system cannot exceed 10 gpm. Use flow reducer if needed for application.
- pp. Includes coaxial-to-standard hose outlet adapter & o-rings.

Page intentionally left blank.

Atlas Commercial Pumps & Dispensers

Gasboy Atlas 9100K Series Mechanical Fleet Dispensers



- 4-Wheel Non-Computer Register
- Positive Displacement Meter
- 9153KTW2 & 9153KTW1M have two pumps & motors (Note r)
- Front Panel – Painted White or Specify Color
- Top & Sides – Painted Black

All Models

- 1" Discharge
- 1 HP c.d. Motor – Pumps only (Note r)
- Filter Adapter, Internal w/ Std Filter Base Option F"
- 1" 2-Stage Solenoid (Disps.)
- Totalizer included in register

Suction Pump

UP TO 22 GPM*

Model	Description	Note	Price Option Name	Price
9153K F	Single	a	A9-153S10-0P	\$5,403
9152KTW1 F	Twin - One Product (Single Motor)	a	A9-152T10-SP	\$9,318
9153KTW1M F	Twin - One Product (Twin Motor)	b,u	A9-153T10-TP	\$10,498
9153KTW2 F	Twin - Two Product	a	A9-153T20-0P	\$10,498

Remote Dispenser

UP TO 22 GPM*

Model	Description	Price Option Name	Price
9153KX F	Single	A9-153S10-0D	\$4,398
9153KXTW1 F	Twin - One Product	A9-153T10-0D	\$7,693
9153KXTW2 F	Twin - Two Product	A9-153T20-0D	\$7,693

*Delivery rates shown are maximum test rates. Actual rates will vary depending upon installation conditions, product dispensed, added accessories, if applicable, the size of the submersible pump. Twin models are single hose flow. For Standard flow (15gpm), use 3/4" hose and nozzle.

- Suitable for use with conventional motor fuels, oxygenated fuel blends up to 15% ethanol (E15), and bio-diesel blends up to 20% (B20).

Atlas Extended Warranty Options			Availability		Quantity per unit		
Description	Price Option Name	Price	Disp	Pump	Single	TW1	TW2
2nd Year	Z-WAT-910002	\$417	Y	Y	1	1	1
3rd Year	Z-WAT-910003	\$417	Y	Y	1	1	1
4th Year	Z-WAT-910004	\$417	Y	Y	1	1	1
5th Year	Z-WAT-910005	\$417	Y	Y	1	1	1

Provides the standard Gasboy warranty per MDE-4255 for the warranty term purchased beginning from the installation date.
Must be purchased with original equipment order.

Atlas Commercial Pumps & Dispensers

Gasboy Atlas 9100K Series

Options and Accessories

Part #	Description	Note	Price Option Name	Price/Ea	Availability		Qty Req'd per unit			Comments
					Pump	Disp	Single	TW1	TW2	
(All prices are per hose except as noted otherwise. Options on twins cannot be split.)										
Base Options										
	230 VAC, 50/60 Hz Operation		Z-AT0-H00230	N/C	N/A	Y	1	1	1	
2	115/230 VAC, 60 Hz Motor	r	Z-AT0-H02115	N/C	Y	N/A	1	1	1	
25	115/230 VAC, 50 Hz. Motor	r	Z-AT0-H25115	N/C	Y	N/A	1	1	1	
35	380 VAC, 50 Hz. Motor	r	Z-AT0-H35380	N/C	Y	N/A	1	1	1	
CC	Pulser, 100:1 Ratio, Volume	d	Z-AT0-HPCC00	\$663	Y	Y	1	2	2	Gallons or Liters
CX	Pulser, 10:1 Ratio, Volume	d	Z-AT0-HPCX00	\$459	Y	Y	1	2	2	Gallons or Liters
+1:1 PLSR	Pulser, 1:1 Ratio, Volume	d	Z-AT0-HP1100	\$422	Y	Y	1	2	2	Gallons or Liters
EK+10:1	For (1) Master, Gallons	c	Z-AT0-EK0010	\$693	Y	Y	1	1	1	Not available with lights (L)
EK+M/A,10:1	For (1) Master & (1) Auxiliary, Gal.	c	Z-AT0-EKMA10	\$693	Y	Y	1	1	1	Not available with lights (L)
EK+1:1	For (1) Master, Liters	c	Z-AT0-EK0001	\$693	Y	Y	1	1	1	Not available with lights (L)
EK+M/A,1:1	For (1) Master & (1) Auxiliary, Ltr.	c	Z-AT0-EKMA01	\$693	Y	Y	1	1	1	Not available with lights (L)
EK+M/M,10:1	For (2) Masters, Gallons	c	Z-AT0-EKMM10	\$1,184	Y	Y	1	1	1	Not available with lights (L)
EK+SPL,10:1	For (1) Split Master, Gallons	c	Z-AT0-EKSP10	\$1,142	Y	Y	1	1	1	Not available with lights (L)
EK+M/M,1:1	For (2) Masters, Liters	c	Z-AT0-EKMM01	\$1,184	Y	Y	1	1	1	Not available with lights (L)
EK+SPL,1:1	For (1) Split Master, Liters	c	Z-AT0-EKSP01	\$1,142	Y	Y	1	1	1	Not available with lights (L)
F	Filter Adapter, Internal	e	Z-AT0-GFLT00	STD	Y	Y	1	2	2	
FT	Accum. Totalizer Reversed	o	Z-AT0-GEMTR0	\$260	Y	Y	1	1	1	
I	Hose Retractor, Internal		Z-AT0-GHRI01	\$120	Y	Y	1	2	2	
K	Hand Crank	i	Z-AT0-GHCK00	\$422	Y	N/A	1	1	2	
L	Light		Z-AT0-GLTL03	\$293	Y	Y	1	1	1	
PP	Slowdown Valve, 1"	f	Z-AT0-GVPP00	N/C	Y	Y	1	2	2	
R	Liters Registration		Z-AT0-HLMR00	\$66	Y	Y	1	2	2	
S	Satellite Internal Piping	h	Z-AT0-HSPS00	\$91	N/A	Y	1	2	2	
SS	Stainless Steel-All Panels		Z-AT0-ISSA00	\$474	Y	Y	1	1	1	
SSA	Stainless Steel-Front & Back		Z-AT0-ISSF00	\$231	Y	Y	1	1	1	
SSTS	Stainless Steel-Top & Sides		Z-AT0-ISSTS0	\$252	Y	Y	1	1	1	
Y	Vapor Recovery Kit	l	Z-AT0-HVRY00	\$111	Y	Y	1	2	1/2**	
M06184K004	Vapor Recovery Kit-Disp	m	Z-AT0-HVS0D4	\$282	N/A	Y	1	2	1/2**	
M06430K010	Vapor Recovery Kit-Pump Sing.	m	Z-AT0-HVS0P0	\$324	N/A	Y	1	N/A	N/A	
M06430K012	Vapor Recovery Kit-Pump TW1	m	Z-AT0-HVT1P2	\$645	N/A	Y	N/A	1	N/A	
M06430K011	Vapor Recovery Kit-Pump TW2	m	Z-AT0-HVT2P1	\$645	N/A	Y	N/A	N/A	1	

Other Accessories					Availability		Qty Req'd per unit			Comments
Part #	Description	Note	Price Option Name	Price/Ea	Pump	Disp	Single	TW1	TW2	
G032754	External Filter - 10 Micron	k,s	Z-AT0-AFESS4	\$206	Y	Y	1	2	2	
G032755	External Filter - Hydrosorb	k,s	Z-AT0-AFEHS5	\$231	Y	Y	1	2	2	
R18896-G2	Filter Blanking Cap		Z-AT0-AFBC00	\$64	Y	Y	1	2	2	
R18189-10	Internal Filter, Standard 10 Micron	j	Z-AT0-AFI1MS	N/C	Y	Y	1	2	2	
R18189-30	Internal Filter, Standard 30 Micron	j	Z-AT0-AFI3MS	N/C	Y	Y	1	2	2	
M08007B010	Internal Filter, Water Alert II 10 Micron	j	Z-AT0-AFW1MS	\$52	Y	Y	1	2	2	
M08007B030	Internal Filter, Water Alert II 30 Micron	j	Z-AT0-AFW3MS	\$46	Y	Y	1	2	2	

**One each A or B side

Atlas Commercial Pumps & Dispensers

Gasboy Atlas 9100K Series

Notes:

- a. Model 52A Pressure Reg. valve is required for AST installation. TW2 require 2 valves.
- b. This model should not be used with AST due to flow restrictions of the Pressure Regulation Valve.
- c. EK Pulser & Top Mounting Kits include the necessary pulsers, top cabinet panels & wiring for factory installed Electrical Keytrol. See EK price list for EK consoles. Gallons use 10:1 and Liters use 1:1 option.
- d. For pulse output to remote EK, Gasboy fuel mgmt. system, or other mfg.'s control systems. All options available for gallon or liter measure. CX not approved for W&M applications except for Electric Keytrol.
- e. F option = adapter only. Must specify internal filter element part number.
- f. Standard on dispensers & 9153KTW1.
- g. N/A with EK or Light options. Zero start model provided unless accumulative model is specified. Liters not available.
- h. Satellite piping available on remote dispensers only.
- i. Hand crank is N/A on remote dispensers, TW1 pumps, or w/ PP option.
- j. Requires F (filter adapter) option.
- k. Kits include adapter, filter element pipe fittings and filter cap. Not for use w/ methanol.
- l. VR Kit includes special VR nozzle boot & hanger only for side load, front load is convertible to VR boot and hook as standard.
- m. Kit for Balanced VR System - includes vapor boot, hook, splitter, and feeder hose. Pump models include internal vapor piping. Does NOT include Co-Ax hoses, nozzle, breakaway, swivel, or HHR - order separately. Requires Field Installation.
- n. VR 10 max. sale \$999.99, max price \$9.99. R.H. money wheel displays \$0.00 to \$0.90 (numbered 00, 10, 20.....90) with indicator lines every two cents.
- o. Accum. totalizer instead shows on reverse side (front).
- p. Slowdown valve - standard on remote disp, and TW1M & TW1 pumps.
- q. HP c.d. motor for single phase application, 3/4 HP c.d. motor for 3 phase applications.
- r. R18896-G2 Blanking Cap included.
- s. Not available with EK option.
- t. Vapor recovery not available on TW1M pumps.
- u. Requires Gilbarco Universal Distribution Box.
- v. For direct connection with Gasboy PLUS and PRIME Controllers.
- w. Provides pulse output for Series 1000, remote-mount Electrical Keytrol, or other mfgs control systems.
- x. Provides two pulse outputs - one for fuel Mgt, one for tank monitor, twin hose.
- y. Required for Series 1000 System. One required per hose for the AC auth. Input when connecting to control devices w/ solid state relays.
- z. For the direct drive of sub pumps, up to 3/4 hp, 120V; up to 1 1/2 hp, 240V. Not required with external relay box.
- aa. Required by W&M for resale applications. Non-resettable.
- bb. 9840K Pump should not be used with above ground tanks (ASTs), due to excessive restriction from Pressure Regulating Valve (not included).
- cc. Above ground tank kit is required for the 9850K pump for ASTs.
- dd. Front nozzle models are for lane-oriented applications. Volume displays are on the side with the nozzle only.
- ee. TW3 Master/Satellite combo includes (in a single cabinet) a master unit on one side and a satellite for a different master on the back side.
- ff. 9840K and 9850K pump motors require 230V service.
- gg. Satellite piping available on dispensers and suction models. Note different price because it includes an extra solenoid valve.
- hh. Warm Weather (WW) model does not include internal heaters and should not be used where ambient temperatures will fall below 12°F - DEF will freeze.
- ii. Warm Weather (WW) model not warranted for DEF freeze damage.
- jj. See Atlas Install Manual **MDE-4331K** for boot side and non-boot side inlet clarification.
- kk. Must use DEF compatible Hose, Nozzle and Breakaway Swivel.
- ll. Includes mis-fueling prevention.
- mm. Standard nozzle without mis-fueling prevention.
- nn. Mounts to 042082 ASTRA pedestal.
- oo. Vapor recovery system cannot exceed 10 gpm. Use flow reducer if needed for application.
- pp. Includes coaxial-to-standard hose outlet adapter & o-rings.

Page intentionally left blank.

Atlas Commercial Pumps & Dispensers

Gasboy Astra 9820K Series

Electronic Remote Pump



All Models

- Large 1" Super-brite Backlit LCD Display - (Meets W&M Display Last Transaction Rqmt)
- Electronic Totalizer (999999)
- Positive Displacement CFT Meter
- Self Priming Vane Pump
- Filter Adapter, Internal w/ Std Filter – Base Option F
- Install ¾" reducer and ¾" hose for 15 gpm flow rate rating"
- 1" Discharge
- Motor - 1 HP (Continuous duty cycle)
- {Note r }
- Less Hose & Nozzle
- UL & W/M Listed

Suction Pump

UP TO 21 GPM*

Model	Description	Note	Price Option Name	Price
9823K F	Single Astra		A9-823S10-0P	\$5,907

*Delivery rates shown are maximum test rates. Actual rates will vary depending upon installation conditions, product dispensed, added accessories, if applicable, the size of the submersible pump. Twin models are single hose flow. For Standard flow (15gpm), use ¾" hose and nozzle.

- Suitable for use with conventional motor fuels, oxygenated fuel blends up to 15% ethanol (E15), and bio-diesel blends up to 20% (B20).

Atlas Commercial Pumps & Dispensers

Gasboy Astra 9820K Series Options and Accessories

					Qty Req'd per unit
Part #	Description	Note	Price Option Name	Price/Ea	Single
(All prices are per hose except as noted otherwise. Options on twins cannot be split.)					
Base Options					
2	115/230 VAC, 60 Hz Motor	r	Z-AT0-H02115	N/C	1
25	115/230 VAC, 50 Hz. Motor	r	Z-AT0-H25115	STD	1
PP	Slowdown Valve	e	Z-AT0-GVPP00	STD	1
R	Liters Registration		Z-AT0-HLMR02	\$206	1
V	Vapor Recovery Piping	m	Z-AT0-HVRP00	\$181	1
Y	Vapor Recovery Ready		Z-AT0-HVRR00	\$248	1
Other Accessories					
Part #	Description	Note	Price Option Name	Price/Ea	Single
C08864	Cable - Pump Box to Remote Reg. (shielded, 4-conductor, 18 awg.) \$ per Ft.		Z-AT0-ACPBRR	\$10	1
C09655	Cable-Gasboy CFN Interface (RS422/485 shielded 2 twisted pair, 18 awg) \$ per Ft.		Z-AT0-ACCFNI	\$3	1
G032754	External Filter - 10 Micron		Z-AT0-AFESS4	\$206	1
G032755	External Filter - Hydrosorb		Z-AT0-AFEHS5	\$231	1
R18896-G2	Filter Blanking Cap		Z-AT0-AFBC00	\$64	1
R18189-10	Internal Filter, Standard 10 Micron		Z-AT0-AFI1MS	N/C	1
R18189-30	Internal Filter, Standard 30 Micron		Z-AT0-AFI3MS	N/C	1
M08007B010	Internal Filter, Water Alert II 10 Micron		Z-AT0-AFW1MS	\$52	1
M08007B030	Internal Filter, Water Alert II 30 Micron		Z-AT0-AFW3MS	\$46	1
G042082	Mounting Kit Pedestal		Z-AT0-AMKP00	\$361	1
G015127	Mount Kit, Front Tank		Z-AT0-AMKFT0	\$45	1
G015128	Mount Kit, Side Tank (left or right)		Z-AT0-AMKST0	\$77	1
C06722	Pulse Output, Dual		Z-AT0-APULID	\$414	1
C06718	RS485 Interface		Z-AT0-ARSI00	\$408	1
C05818	Resistor Assembly (115V, per hose)		Z-AT0-ARA115	\$39	1
C06683	Resistor Assembly (230V, per hose)		Z-AT0-ARA230	\$39	1
G026328	Totalizer, Mechanical Accum, Gallons		Z-AT0-GEMT0G	\$187	1
G026329	Totalizer, Mechanical Accum, Liters		Z-AT0-GEMT0L	\$187	1
M07494K001	VR Piping Kit - Atlas 9823	m	Z-AT0-HVRP01	\$270	1
G048533	Vapor Rec. to Std. Hose Adapt. Kit		Z-AT0-AVRA00	\$66	1

Atlas Commercial Pumps & Dispensers

Gasboy Astra 9820K Series

Notes:

- a. Model 52A Pressure Reg. valve is required for AST installation. TW2 require 2 valves.
- b. This model should not be used with AST due to flow restrictions of the Pressure Regulation Valve.
- c. EK Pulser & Top Mounting Kits include the necessary pulsers, top cabinet panels & wiring for factory installed Electrical Keytrol. See EK price list for EK consoles. Gallons use 10:1 and Liters use 1:1 option.
- d. For pulse output to remote EK, Gasboy fuel mgmt. system, or other mfg.'s control systems. All options available for gallon or liter measure. CX not approved for W&M applications except for Electric Keytrol.
- e. F option = adapter only. Must specify internal filter element part number.
- f. Standard on dispensers & 9153KTW1.
- g. N/A with EK or Light options. Zero start model provided unless accumulative model is specified. Liters not available.
- h. Satellite piping available on remote dispensers only.
- i. Hand crank is N/A on remote dispensers, TW1 pumps, or w/ PP option.
- j. Requires F (filter adapter) option.
- k. Kits include adapter, filter element pipe fittings and filter cap. Not for use w/ methanol.
- l. VR Kit includes special VR nozzle boot & hanger only for side load, front load is convertible to VR boot and hook as standard.
- m. Kit for Balanced VR System - includes vapor boot, hook, splitter, and feeder hose. Pump models include internal vapor piping. Does NOT include Co-Ax hoses, nozzle, breakaway, swivel, or HHR - order separately. Requires Field Installation.
- n. VR 10 max. sale \$999.99, max price \$9.99. R.H. money wheel displays \$0.00 to \$0.90 (numbered 00, 10, 20.....90) with indicator lines every two cents.
- o. Accum. totalizer instead shows on reverse side (front).
- p. Slowdown valve - standard on remote disp, and TW1M & TW1 pumps.
- q. HP c.d. motor for single phase application, 3/4 HP c.d. motor for 3 phase applications.
- r. R18896-G2 Blanking Cap included.
- s. Not available with EK option.
- t. Vapor recovery not available on TW1M pumps.
- u. Requires Gilbarco Universal Distribution Box.
- v. For direct connection with Gasboy PLUS and PRIME Controllers.
- w. Provides pulse output for Series 1000, remote-mount Electrical Keytrol, or other mfgs control systems.
- x. Provides two pulse outputs - one for fuel Mgt, one for tank monitor, twin hose.
- y. Required for Series 1000 System. One required per hose for the AC auth. Input when connecting to control devices w/ solid state relays.
- z. For the direct drive of sub pumps, up to 3/4 hp, 120V; up to 1 1/2 hp, 240V. Not required with external relay box.
- aa. Required by W&M for resale applications. Non-resettable.
- bb. 9840K Pump should not be used with above ground tanks (ASTs), due to excessive restriction from Pressure Regulating Valve (not included).
- cc. Above ground tank kit is required for the 9850K pump for ASTs.
- dd. Front nozzle models are for lane-oriented applications. Volume displays are on the side with the nozzle only.
- ee. TW3 Master/Satellite combo includes (in a single cabinet) a master unit on one side and a satellite for a different master on the back side.
- ff. 9840K and 9850K pump motors require 230V service.
- gg. Satellite piping available on dispensers and suction models. Note different price because it includes an extra solenoid valve.
- hh. Warm Weather (WW) model does not include internal heaters and should not be used where ambient temperatures will fall below 12°F - DEF will freeze.
- ii. Warm Weather (WW) model not warranted for DEF freeze damage.
- jj. See Atlas Install Manual **MDE-4331K** for boot side and non-boot side inlet clarification.
- kk. Must use DEF compatible Hose, Nozzle and Breakaway Swivel.
- ll. Includes mis-fueling prevention.
- mm. Standard nozzle without mis-fueling prevention.
- nn. Mounts to 042082 ASTRA pedestal.
- oo. Vapor recovery system cannot exceed 10 gpm. Use flow reducer if needed for application.
- pp. Includes coaxial-to-standard hose outlet adapter & o-rings.

Page intentionally left blank.

Atlas Satellite

9216K Series

All Models

- Perfect Companion for Atlas & Legacy Masters
- Front load nozzle only
- Rugged Atlas G90 Galvanized Steel Welded Frame
- 1-1/2" Inlet & Valve, 1-1/4" Discharge (1" bushing)
- Front Panel – Painted White or Specify Color
- Top & Sides – Painted Black
- UL Listed
- Less Hose & Nozzle



Base Model

Model	Description	Price Option Name	Price
9216K-Z	Single, Front Load	A9-216S1F-0P	\$3,279
9216KTW-Z	Twin, Front Load	A9-216T0F-0P	\$5,548

*Delivery rates shown are maximum test rates. Actual rates will vary depending upon installation conditions, product dispensed, added accessories, if applicable, the size of the submersible pump. Twin models are single hose flow. For Standard flow (15gpm), use 3/4" hose and nozzle.

- Suitable for use with conventional motor fuels, oxygenated fuel blends up to 15% ethanol (E15), and bio-diesel blends up to 20% (B20).

Atlas Extended Warranty Options			
Description	Price Option Name	Price	Note
2nd Year	Z-WAT-985002	\$417	per unit
3rd Year	Z-WAT-985003	\$417	per unit
4th Year	Z-WAT-985004	\$417	per unit
5th Year	Z-WAT-985005	\$417	per unit

Provides the standard Gasboy warranty per MDE-4255 for the warranty term purchased beginning from the installation date.
Must be purchased with original equipment order.

Atlas Satellite

9216K Series

Options and Accessories

Part #	Description	Note	Price Option Name	Price/Ea	Qty Req'd per unit	
					Single	TW
(All prices are per hose except as noted otherwise. Options on twins cannot be split.)						

Base Options						
	230VAC, 50/60 Hz Operation		Z-AT0-H00230	N/C	1	1
SS	Stainless Steel Sides, Door		Z-AT0-ISSA00	\$474	1	1

Accessories					Quantity per unit	
Part #	Description	Note	Price Option Name	Price/Ea	Single	TW
G032754	External Filter - Std Single Canister		Z-AT0-AFESS4	\$206	1	2
G032755	External Filter - Hydrosorb Single Canister		Z-AT0-AFEHS5	\$231	1	2
G032752	External Filter - Std Dual Canister		Z-AT0-AFESD4	\$508	1	2
G032753	External Filter - Hydrosorb Dual Canister		Z-AT0-AFEHD5	\$541	1	2

Dispenser Accessories

Hoses, Nozzles, Swivels, Retractors, and Valves

Catlow Hanging Hardware Assemblies

Part #	Price Option Name	Description	Note	Price/Ea	Comment
HA807	Z-HHC-HAG807	3/4" x 12', Black Nozzle, Magnetic Breakaway	n	\$371	For Hi Flow Models
HA808	Z-HHC-HAD808	3/4" x 12', Green Nozzle, Magnetic Breakaway	n	\$371	For Hi Flow Models
HA809	Z-HHC-HAG809	3/4" x 15', Black Nozzle, Magnetic Breakaway	n	\$388	For Hi Flow Models
HA810	Z-HHC-HAD810	3/4" x 15', Green Nozzle, Magnetic Breakaway	n	\$388	For Hi Flow Models
HA811	Z-HHC-HAG811	3/4" x 12', Black Nozzle, Single Use Breakaway	n	\$303	For Hi Flow Models
HA812	Z-HHC-HAD812	3/4" x 12', Green Nozzle, Single Use Breakaway	n	\$303	For Hi Flow Models
HA813	Z-HHC-HAG813	3/4" x 15', Black Nozzle, Single Use Breakaway	n	\$320	For Hi Flow Models
HA814	Z-HHC-HAD814	3/4" x 15', Green Nozzle, Single Use Breakaway	n	\$320	For Hi Flow Models
HA815	Z-HHC-HAH815	1" x 12', Green Nozzle, Magnetic Breakaway	n	\$568	For Ultra-Hi Models
HA816	Z-HHC-HAH816	1" x 15', Green Nozzle, Magnetic Breakaway	n	\$587	For Ultra-Hi Models
HA817	Z-HHC-HAH817	1" x 12', Green Nozzle, Single Use Breakaway	n	\$534	For Ultra-Hi Models
HA818	Z-HHC-HAH818	1" x 15', Green Nozzle, Single Use Breakaway	n	\$558	For Ultra-Hi Models

Pressure Reg. & Check Valves

Part #	Description	Note	Price/Ea	Comment
G048577PG8	Model 52A Pressure Regulating Valve	a,g,h	\$1,165	Suction Pumps Only
G032060	Aboveground Tank Kit for 9850A	a,h,i	\$1,198	Suction Pumps Only
G066826	Vertical Check Valve - 1-1/2"	a,l	\$157	Suction Pumps Only

Dispenser Accessories

Hoses, Nozzles, Swivels, Retractors, and Valves
Hose Clamp/Spring Reel Kits

Part #	Description	Note	Price Option Name	Price/Ea	Qty Req'd per unit		
					Single	TW1	TW2/TW3
G032659	3/4" HW or SW Hose (1-1/32" OD)	a,f	TBD	\$180	1	2	2
G032669	1" HW Hose (1-3/8" OD)	a,f	TBD	\$180	1	2	2
G032666	5/8" HW or SW Hose (1" OD)	a,f	TBD	\$180	1	2	2
G032667	1" SW Hose (1-1/2" OD)	a,f	TBD	\$194	1	2	2
G032663	3/4" Dayco HW Hose (1-1/8" OD)	a,f	TBD	\$194	1	2	2
G032668	1" Dayco HW Hose (1-7/16" OD)	a,f	TBD	\$180	1	2	2
G032671	Goodyear Premier Coax. (V/R)	a,f	TBD	\$209	1	2	2
G032670	1-1/4" SW Hose	a,f	TBD	\$242	1	2	2

Support Post Kits

Part #	Description	Note	Price Option Name	Price/Ea	Qty Req'd per unit		
					Single	TW1	TW2/TW3
M14476K001	Atlas - All K Series & Atlas Satellite - EX 9823K	a,g	TBD	\$163	1	2	2
M14476K002	Gasboy - Q Series	a,g	TBD	\$163	1	2	2
M14476K003	Universal Mount	a,g	TBD	\$163	1	2	2
M14476K004	Atlas 9823K ASTRA	a,g	TBD	\$163	1	N/A	N/A

Universal Distribution Boxes

For us with 8800K				
Part #	Description	Note	Price Option Name	Price/Ea
PA0261X000022	Dual board, 2 inputs			\$1,248

- Select desired combination of Hose Clamp/Spring Reel Kit and Support Post Kit (max. of 15' of hose; for 1 1/4" - 12')

Dispenser Accessories

Hoses, Nozzles, Swivels, Retractors, and Valves

Notes:

- a. These prices only apply when purchased as an accessory to a new unit. When purchased separately, purchase through spare parts.
- b. Reconnectable breakaways may be snapped back together if the breakaway disconnects.
- c. Non-reconnect able breakaway models must be discarded if the breakaway disconnects.
- d. Flow limiters are required to comply with EPA 10 gpm maximum flow rate regulations for light duty vehicles.
- e. Select the Hose Clamp/Spring Reel Kit based on the applicable hose type. Includes hose clamp & reel only; support post must be purchased separately.
- f. Select the Support Post Kit based on the applicable dispenser type. Includes support post, mounting hardware, and mounting instructions.
- g. Required for AST installations where the tank is at an elevation that produces a gravity head on the suction pump. Cannot be used with 91/9853TW1M models. Due to flow restriction, they cannot be used with 91/9853HC, 91/9840, 9850 models. TW2 models require two Valves.
- h. Required for AST installation of 9850 suction pumps.
- i. Required for remote dispensers. 91/9852X, 91/9853X Series.
- j. Required for remote dispensers. 91/9840X, 9850X Series.
- k. For suction pump applications. 91/9852, 91/9853 Series.
- l. Recommended for 9850KXTW1 due to limited base to manifold distance.

Page intentionally left blank.

Atlas Commercial Pumps & Dispensers

Atlas Model Field Retrofit Kits

8700K / 9100K Series

Totalizer (Front) Kits

Part Number	Description	Note	Price Option Name	Price
M05813K004	Atlas 9100 Series - less bezel	c	Z-AT0-GEMTFK	\$433

Vapor Recovery Kits

Part Number	Description	Note	Price Option Name	Price
M06184K004	Vapor Recovery Kit-Disp	a,d	AT-HVS0D4-00	\$282
M06430K010	Vapor Recovery Kit -Pump Sing.	b,d	AT-HVS0P0-00	\$324
M06430K012	Vapor Recovery Kit-Pump TW1	b,d	AT-HVT1P2-00	\$645
M06430K011	Vapor Recovery Kit-Pump TW2	b,d	AT-HVT2P1-00	\$645

8800K / 9800K Series

ATC Kits

Part Number	Description	Note	Price Option Name	Price
M05819K001	9800 K-Series Single	b		\$1,848
M05819K002	9800 K-Series Twin	b		\$2,265
M05819K003	9850K Single	b		\$1,848
M05819K004	9850K Twin	b		\$2,265
M06875K001	8800 K Single	b		\$1,848
M06875K002	8800K Twin	b		\$2,265

External Filter

Part Number	Description	Note	Price Option Name	Price
G032754	Standard - Single Cartridge (All HF)	a	Z-AT0-AFESS4	\$206
G032755	Hydrosorb - Single Cartridge (All HF)	a	Z-AT0-AFEHS5	\$231
G032752	Standard - 9850K Dual Cartridge	a	Z-AT0-AFESD4	\$508
G032753	Hydrosorb - 9850K Dual Cartridge	a	Z-AT0-AFEHD5	\$541

Vapor Recovery Kits

Part Number	Description	Note	Price Option Name	Price
M06184K003	Vapor Recovery Kit-Disp	a,d	AT-HVS0D3-00	\$282
M06430K007	Vapor Recovery Kit -Pump Sing.	b,d	AT-HVS0P7-00	\$324
M06430K009	Vapor Recovery Kit-Pump TW1	b,d	AT-HVT1P9-00	\$645
M06430K008	Vapor Recovery Kit-Pump TW2	b,d	AT-HVT2P8-00	\$645

Atlas Commercial Pumps & Dispensers

Atlas Model Field Retrofit Kits

Atlas Series - General

Center Manifold Kit

Part Number	Description	Note	Price Option Name	Price
M07676K002	Atlas Single or TW1 - Pump	b	AT-GCM00P-00	\$361
M07676K001	Atlas Single or TW1 - Dispenser	b	AT-GCM00D-00	\$361

Vapor Recovery Kits


Part Number	Description	Note	Price Option Name	Price
M07494K001	VR Piping Kit - Atlas 9823	a,d	AT-HVRP01-00	\$270
M07494K004	VR Piping Kit - Atlas 9123	a,d	AT-HVRP04-00	\$338
G048533	VR to Standard Hose Adapter	a	AT-AVRA00-00	\$53

Note:

- a Order one kit per hose outlet.
- b Order one kit per single or twin.
- c Allows cum. totalizer instead to show on reverse side (front). Atlas bezel must be ordered separately.
- d VR Kit for Balanced VR System - includes vapor boot, hook, splitter, and feeder hose. Pump models include internal vapor piping. Does NOT include Co-Ax hoses, nozzle, breakaway, swivel, or HHR - order separately. Requires Field Installation.

Dialface/Bezel Assemblies

Atlas Bezel Retrofit - K Series



- Rigid Structural Foam Frame
- Tedlar polycarbonate graphic panels and brands
- One-piece polycarbonate lens
- Backward compatible to all Atlas models (K-series)

Price Option Name	Description	Price
AT-DFBZK-00	Atlas Bezel Retrofit Assembly	\$551

*Configured Part – Order thru CSR

Must provide the following information on your purchase order:

1. Original unit model number (i.e. 9853KXTW1-DZ)
2. Original unit serial number (i.e. AT00XXXX)
3. A or B side (field wiring junction box is on A-side)
4. Does original unit have totalizers?
5. Language
6. Unit of Measure (Gallons or Liters)
7. Brand

Page intentionally left blank.

EKOS Cloud Hosted Software

EKOS Software



Standard Features

- Cloud-based fuel management platform
- Fully integrated with all of your site equipment, fuel cards, drivers, and vehicles
- Combined retail fuel card transactions with private fuel site transactions
- Ability to purchase and account for all of your bulk fuel

EKOS Startup Fee

Description	Part Number	Price
One Time Software Setup Fee	EKOS-STARTUP	\$3,000

***EKOS Software License Agreement must be signed by customer and returned prior to setting customer up in EKOS

For MiFare Tag and HID Readers see Fleet Head Office Section below.

Data Connection Option

Description	Part Number	Price
Cellular Modem ***	PA04000202	\$1,250
EKOS ET (Edge Technology) Router	TBD	\$1,795

***Cellular transmission fees are billed separately

EKOS Options & Accessories

Type	Part Number	Price Option Name	Price
Enterprise Software Mifare Tag Reader	PA04020401	Z-FLH-PMTR01	\$1,354
Enterprise Software HID Reader (Indala)	PA04020020	Z-FLH-PHR020	\$3,935
Enterprise Software HID Reader (Universal)	PA04020030	Z-FLH-PHR030	\$3,935

EKOS Modules (Billed separately)

Description	Price
Bulk Fuel Module	Per Site Per Month \$100
Fuel Site Module	Per Site Per Month \$80
Fuel Card Module	Per Site Per Month \$70
Fleet Maintenance Module (Standard)*	Per Vehicle Per Month \$3
Fleet Maintenance Module (Advanced)*	Per Vehicle Per Month \$5

*100 Vehicle Minimum

Page intentionally left blank.

Islander PRIME

Islander PRIME Fuel Management System - Gasboy Fleet Systems



- 4.3" Multimedia Color Display
- Built-in Web Server for remote maint.
- Contactless Tag Reader (ISO-14443)
- Self Contained with Pedestal

Standard Features

- Full Alphanumeric Vandal Proof 40 key Keyboard
- Controls 32 Electronic Hoses
- TCP/IP and RS-485 Communication
- Controls 2 Mech. Hose Outlets-Expandable to 8

Configurations - 115V/240V, 50/60Hz Standard Models

Islander PRIME

# of Hoses	Price Option Name	Price
Electronic - 9800 Series	FL-0EH0IP-00	\$9,186
2 Mechanical Hoses	FL-2MH0IP-00	\$9,292
4 Mechanical Hoses	FL-4MH0IP-00	\$9,671
6 Mechanical Hoses	FL-6MH0IP-00	\$10,378
8 Mechanical Hoses	FL-8MH0IP-00	\$10,851
Standard stock unit (no dispenser interface)	FL-0SH0IP-00	\$8,809

User Options - Islander PRIME

Description	Price Option Name	Price
Insert Mag Card Reader	Z-FL0-MCR007	\$537
EMV Card Reader and PIN Pad	TBD	\$4,995
Printer	Z-FL0-PRT008	\$1,357
Barcode Reader	Z-FL0-BCR009	\$896
HID Universal Reader Kit	Z-FL0-HRK134	\$1,543
HID Indala Kit	Z-FL0-HRK058	\$1,543
Wireless Gateway License	Z-FL0-PRWGWL	\$1,174

***Add Qty 1 of each one of the User Options per Islander PRIME Unit

***Add Qty 1 of either HID Kit abover to support HID functionality in any Islander PRIME Unit.

*All HD cards/tags must be confirmed by the factory for compatibility

Pedestal Base Options

Description	Part Number	Price Option Name	Price
Standard Pedestal Base	M15778B100	Z-FL0-PBS100	N/C
ADA Pedestal Base	M15778B101	Z-FL0-PBS101	\$1,206
Stainless Steel Pedestal Base	M15778B102	Z-FL0-PBS102	\$1,968
ADA Stainless Steel Pedestal Base	M15778B103	Z-FL0-PBS103	\$1,968

***Standard painted pedestal base included in price of Standard Islander PRIME Models

Gasboy Service Offering (First year required for new Islander PRIME Orders)

Description	Price Option Name	Price
Gasboy Service Offering - 1 Year	Z-FL0-GSO001	\$715
Gasboy Service Offering - 2 Years	Z-FL0-GSO002	\$1,361
Gasboy Service Offering - 3 Years	Z-FL0-GSO003	\$2,041
Gasboy Service Offering - 4 Years	Z-FL0-GSO004	\$2,719
Gasboy Service Offering - 5 Years	Z-FL0-GSO005	\$3,399

- Warranty requires start-up by Gasboy Authorized Service Representative (ASR).

Factory Remote Startup Options

Description	Price Option Name	Price
PRIME Controller Startup Fee (for Gasboy TAC to assist non-certified technician)	Z-FL0-PCSF71	\$548
PRIME Controller Data Loading Fee (when not using FHO or EKOS)	Z-FL0-PCDF72	\$688
On-Site Gasboy Field Engineer Training (per day)	Z-FL0-PCF73	\$688

Extended Warranty

Description	Price Option Name	Price
2nd Year	Z-WIP-000002	\$1,066
3rd Year	Z-WIP-000003	\$1,066
4th Year	Z-WIP-000004	\$1,066
5th Year	Z-WIP-000005	\$1,066

Page intentionally left blank.

Islander PRIME

Islander PRIME Options & Accessories

Fuel Point PLUS

Wireless Nozzle Reader - One per nozzle

Nano Wireless Nozzle Readers

Description	Price Option Name	Part Number	Price
nNR-F: Catlow Elite, OPW 11A/B, Husky 1A, Husky X, OPW DEF	Z-FL0-NRF035	M09677B035	\$541
nNR-F: Catlow Max 1, OPW 7H, Husky 1+8, Husky HS, Catlow CM 21, OPW 1290	Z-FL0-NRF036	M09677B036	\$541
nNR-T: Catlow Elite, OPW 11A/B, Husky 1A, Husky X, OPW DEF + switch	Z-FL0-NRF037	M09677B037	\$541
nNR-T: CatlowMax 1, OPW 7H, Husky 1+8, Husky HS + switch	Z-FL0-NRF038	M09677B038	\$541
nNR-T (back): Posilock + switch	Z-FL0-NRF040	M09677B040	\$900
nNR-XL: CNG	Z-FL0-NRF041	M09677B041	\$564
nNR-XLT: CNG + switch	Z-FL0-NRF042	M09677B042	\$564
nNR-B: Catlow CM 21, OPW 1290	Z-FL0-NRF044	M09677B044	\$900
nNR-T (back): Catlow CM 21, OPW 1290	Z-FL0-NRF045	M09677B045	\$900
nNR-B: Healy 400-900	Z-FL0-NRF046	M09677B046	\$541
nNR-B: V34 Husky Vac	Z-FL0-NRF047	M09677B047	\$541
nNR-B: 11VF VST Vac	Z-FL0-NRF048	M09677B048	\$541
nNR-T (back): Wiggins + switch	Z-FL0-NRF049	M09677B049	\$900

Nozzle Reader Protectors

Description	Price Option Name	Part Number	Price
Nozzle reader protector for M09677B035 nozzle reader	Z-FL0-NRP160	M09680B160	\$18
Nozzle reader protector for M09677B036 nozzle reader	Z-FL0-NRP161	M09680B161	\$18

Vehicle Tank Rings - One per vehicle tank

Self Installed Rings - For all types of vehicles where there is no possibility to hold or fix the ring

Description	Price Option Name	Part Number	Price
70 mm ring / 2.26 inches	Z-FL0-VTR001	M09678B001	\$57
105 mm ring / 4.13 inches	Z-FL0-VTR002	M09678B002	\$57
120 mm ring / 4.72 inches	Z-FL0-VTR003	M09678B003	\$57
130 mm ring / 5.12 inches	Z-FL0-VTR004	M09678B004	\$57

Shaped Rings - For vehicles where ring can be attached

Description	Price Option Name	Part Number	Price
75 mm ring / 2.95 inches	Z-FL0-VTR005	M09678B005	\$57
85 mm ring / 3.35 inches	Z-FL0-VTR006	M09678B006	\$57
95 mm ring / 3.74 inches	Z-FL0-VTR007	M09678B007	\$57

Islander PRIME

Islander PRIME Options & Accessories

Fuel Point PLUS - Vehicle Tank Rings - One per vehicle tank

Molded Rings

Description	Price Option Name	Part Number	Price
55 mm ring / 2.17 inches	Z-FL0-VTR010	M09678B010	\$57
58 mm thin ring / 2.28 inches	Z-FL0-VTR020	M09678B020	\$57
80 mm ring / 3.15 inches	Z-FL0-VTR011	M09678B011	\$57
90 mm ring / 3.54 inches	Z-FL0-VTR012	M09678B012	\$57
95 mm ring / 3.74 inches	Z-FL0-VTR013	M09678B013	\$57
110 mm ring / 4.33 inches	Z-FL0-VTR014	M09678B014	\$57
120 mm ring / 4.72 inches	Z-FL0-VTR015	M09678B015	\$57
130 mm ring / 5.11 inches	Z-FL0-VTR016	M09678B016	\$57
145 mm ring / 5.71 inches	Z-FL0-VTR017	M09678B017	\$57

Wiggins Rings - for use with Wiggins Nozzle

Description	Price Option Name	Part Number	Price
Wiggins 125 mm x 183 mm	Z-FL0-VTR018	M09678B018	\$197
Wiggins 96 mm x 154 mm	Z-FL0-VTR019	M09678B019	\$197

Fuel Point Plus Chip

Description	Price Option Name	Part Number	Price
Replacement Fuel Point Plus Chip - for all ring sizes		M09680B020	\$43

Fuel Cube - for use with light duty vehicles that have a fuel door

Description	Price Option Name	Part Number	Price
Fuel Cube - antennae and security chip all-in-one	Z-FL0-VTR021	M09678B021	\$57

DataPass - Vehicle Bus Interface (One per vehicle)

Description	Price Option Name	Part Number	Price
Micro-datapass: OBD Plug Unit Supporting CAN & K-Line Protocol (Light Vehicles)	Z-FL0-DPVB09	M09693B009	\$216
DataPass (OBD + Pulses) - wired	Z-FL0-DPVB04	M09693B004	\$216
Heavy Vehicles & Vehicles Without Bus that Uses Pulses (J1708/J1587 + J1939/FMS + Pulses)	Z-FL0-DPVB01	M09693B001	\$216

DataPass - Vehicle/Reefer Wire Pass Through Harnesses Install Kits

Description	Price Option Name	Part Number	Price
Vehicles 2016 and newer Mack / Volvo Truck cable wire harness (OBDII connector)	Z-FL0-DPQ159	M09680B159	\$81
Vehicles 2016 & Newer Freightliner Splice Pack Wire Harness	Z-FL0-DPIK08	M12200A008	\$24
Vehicles 2016 & Newer (J1939) Peterbilts & Kenworths Cable Wire Harness	Z-FL0-DPIK07	M12200A007	\$156
Vehicles 2016 & Newer (J1939) International Cable Wire Harness	Z-FL0-DPIK06	M12200A006	\$137
Vehicles 2010 to 2015 (J1939) Peterbilts & Kenworths Cable Wire Harness	Z-FL0-DPIK05	M12200A005	\$132
Vehicles 2009 & Older (J1708) Peterbilts & Kenworths Cable Wire Harness	Z-FL0-DPIK04	M12200A004	\$132
Vehicles 2010 to 2015 Int'l & Freightliner (J1939)	Z-FL0-DPIK02	M12200A002	\$129
Vehicles 2009 & Older (J1708) Int'l & Freightliner	Z-FL0-DPIK01	M12200A001	\$129
Thermoking MP-IV	Z-FL0-DPIKT1	M12475A001	\$40
Thermoking SR2 Smart Reefer 2	Z-FL0-DPIKT2	M12475A002	\$38

DataPass - Vehicle Wire Quick Connect Harnesses Install Kits

Description	Price Option Name	Part Number	Price
J 1708 6 PIN Harness	Z-FL0-DPQ139	M09680B139	\$62
J 1708/J1939 9 PIN Harness with Selectable Protocol Switch*	Z-FL0-DPQ140	M09680B140	\$77
J 1708/J1939 9 PIN Harness with Selectable Protocol Switch 2016 and newer*	Z-FL0-DPQ157	M09680B157	\$77

*Not for International Trucks. Use M12200A001, M12200A002, or M12200A006

Wireless Vehicle Programmer - Programs DataPass, Vehicle Tank Ring, and Wireless Nozzle Readers

Description	Price Option Name	Part Number	Price
Wireless Vehicle Programmer	Z-FL0-WVP000	PA04010000	\$3,871
Wireless Vehicle Programmer	Z-FL0-WVP001	PA04010000P	\$4,169

Islander PRIME

Islander PRIME Options & Accessories

Mifare Contactless Tags/Cards

Description	Price Option Name	Part Number	Price
Blue Mifare Tags - Sold by box only - one box of 10 tags	Z-FL0-MTBU01	M09679B001	\$98
Red Mifare Tags - Sold by box only - one box of 10 tags	Z-FL0-MTRD02	M09679B002	\$98
Black Mifare Tags - Sold by box only - one box of 10 tags	Z-FL0-MTBL07	M09679B007	\$98
Mifare Card - White Blank each	Z-FL0-MTWH03	M09679B003	\$6
Mifare Card White (Numbered) each	Z-FL0-MTWH04	M09679B004	\$8
Mifare Card Green (Numbered) each	Z-FL0-MTGR05	M09679B005	\$8
Mifare Card Yellow (Numbered) each	Z-FL0-MTYL06	M09679B006	\$8

Pump Control Unit

Description	Price Option Name	Part Number	Price
Extension Box, 4 Mechanical Hoses	Z-FL0-PCEB00	PA03990000	\$4,731

Additional Pump Interface Cards

Description	Price Option Name	Price
2-Hose Mechanical Pump Interface *	Z-FL0-PIC801	\$802
4-Hose Mechanical Pump Interface *	Z-FL0-PIC802	\$1,179
6-Hose Mechanical Pump Interface *	Z-FL0-PIC812	\$1,981
8-Hose Mechanical Pump Interface *	Z-FL0-PIC822	\$2,359
4 Channel RS485	Z-FL0-PIC803	\$696
4 Channel Tokheim Interface Card	Z-FL0-PIC804	\$802
4 Channel Current Loop Interface Card	Z-FL0-PIC805	\$696
2 each RS232 and RS422 Interface card	Z-FL0-PIC806	\$696

*Only available for electronic base units

Network Software

Description	Price Option Name (option)	Price Option Name (Configured)	Price
NBS Fipay Network Software (Includes Paymentech)	Z-FL0-NWSW10	FL-NWSW10-00	\$1,332
T-Chek Fipay Network Software	Z-FL0-NWSW60	FL-NWSW60-00	\$1,332
EFS/TCH Fipay Network Software	Z-FL0-NWSW70	FL-NWSW70-00	\$1,332

*Pricing includes 1st Year Software Support

Page intentionally left blank.

Islander Prime

Sample Configurations

Small to Medium Site - Island Controller - 2 Dispensers (Diesel & Gas) - Mixed Fleet of 25 large trucks and 25 std vehicles

Basic Pump Control at Island with Remote Reporting

Price Option Name	Qty	Description
FL-2MH0IP-00	1	Islander PRIME FMS, 2 Mech Hoses
Z-FL0-GSO001	1	Contract, Islander PRIME, Gasboy Service Offering
FL-HSWFH0-01	1	Software Fleet Head Office 1 Site

Mifare Tag

Price Option Name	Qty	Description
FL-HMTR00	1	GBPLUS FHO POD - Mifare
Z-FL0-WGT001	1	GBPLUS Wireless Tag, 10 Pack Blue

Fuel Point PLUS Automated Fuel Control

Price Option Name	Qty	Description
FL-OWLGWT	1	GBPLUS Wireless GTW Term, Outdoor
Z-FL0-NRF036	1	GBPLUS Wireless Reader, OPW 7H Nozzle
Z-FL0-NRF035	1	GBPLUS Wireless Reader, OPW 11A/B Nozzle
Z-FL0-VTR001	25	GBPLUS Wireless Tank Ring, Self Install 70mm
Z-FL0-VTR003	25	GBPLUS Wireless Tank Ring, Self Install 120mm
Z-FL0-DPVB01	25	Vehicle Module, Heavy Duty, No OBD
Z-FL0-DPVB09	25	Vehicle Module, OBD CANBUS/K-LINE PLUS
FL-WHP000-00	1	GBPLUS Wireless Programmer

Multiple Sites (3) - Island Controller - 2 Dispensers (Diesel & Gas) at each site - Mixed Fleet of 25 large trucks and 25 std vehicles.

Basic Pump Control at Island with Remote Reporting

Price Option Name	Qty	Description
FL-2MH0IP-00	3	Islander PRIME FMS, 2 Mech Hoses
Z-FL0-GSO001	3	Contract, Islander PRIME, Gasboy Service Offering
FL-HSWFH0-05	1	Software Fleet Head Office 5 Site

Mifare Tag

Price Option Name	Qty	Description
FL-HMTR00-00	1	GBPLUS FHO POD - Mifare
Z-FL0-DPVB01	10	GBPLUS Wireless Tag, 10 Pack Blue

Fuel Point PLUS Automated Fuel Control

Price Option Name	Qty	Description
FL-WGT001-00	1	GBPLUS Wireless GTW Term, Outdoor
Z-FL0-NRF036	1	GBPLUS Wireless Reader, OPW 7H Nozzle
Z-FL0-NRF035	1	GBPLUS Wireless Reader, OPW 11A/B Nozzle
Z-FL0-VTR001	25	GBPLUS Wireless Tank Ring, Self Install 70mm
Z-FL0-VTR003	25	GBPLUS Wireless Tank Ring, Self Install 120mm
Z-FL0-DPVB01	25	Vehicle Module, Heavy Duty, No OBD
Z-FL0-DPVB09	25	Vehicle Module, OBD CANBUS/K-LINE PLUS
FL-WHP000-00	1	GBPLUS Wireless Programmer

Page intentionally left blank.

ICR PRIME

ICR PRIME Fuel Management System Gasboy Fleet Systems



Standard Features

- 4.3" Multimedia Color Display
- Contactless Tag Reader (ISO-14443)
- Full Alphanumeric Vandal Proof 40 key Keyboard
- TCP/IP and RS-485 Communication

Configurations - 115V/240V, 50/60Hz - Standard Models

ICR PRIME

Price Option Name	Description	Price
FL-0SHICR-00	Standard Island Card Reader	\$4,740
FL-0EHICR-00	Electronic Island Card Reader	\$5,434
FL-2MHICR-00	Island Card Reader with 2 Mechanical Hose Control capability	\$5,541
FL-4MHICR-00	Island Card Reader with 4 Mechanical Hose Control capability	\$5,920
FL-6MHICR-00	Island Card Reader with 6 Mechanical Hose Control capability	\$6,722
FL-8MHICR-00	Island Card Reader with 8 Mechanical Hose Control capability	\$7,098

User Options

Islander PRIME

Description	Price Option Name	Price
Insert Mag Card Reader	Z-FL0-MCR007	\$537
EMV Card Reader and Pin Pad	TBD	\$4,995
Printer	Z-FL0-PRT008	\$1,357
Barcode Reader	Z-FL0-BCR009	\$896
HID Universal Reader Kit	Z-FL0-HRK134	\$1,543
HID Indala Kit	Z-FL0-HRK058	\$1,543
Wireless Gateway License Option	Z-FL0-PRWGWL	\$1,174

***Add Qty 1 of each one of the User Options per Islander PRIME Unit

***Add Qty 1 of either HID Kit abover to support HID functionality in any Islander PRIME Unit.

*All HD cards/tags must be confirmed by the factory for compatibility

***HID Readers also require the card reader option.

Pedestal Base Options

Islander PRIME

Description	Price Option Name	Price
Standard Pedestal Base	Z-FL0-PBS100	N/C
ADA Pedestal Base	Z-FL0-PBS101	\$1,206
Stainless Steel Pedestal Base	Z-FL0-PBS102	\$1,968
ADA Stainless Steel Pedestal Base	Z-FL0-PBS103	\$1,968

***Standard painted pedestal base included in price of Standard Islander PRIME Models

Additional Pump Interface Cards

Description	Price Option Name	Price
2-Hose Mechanical Pump Interface *	Z-FL0-PIC801	\$802
4-Hose Mechanical Pump Interface *	Z-FL0-PIC802	\$1,179
6-Hose Mechanical Pump Interface *	Z-FL0-PIC812	\$1,981
8-Hose Mechanical Pump Interface *	Z-FL0-PIC822	\$2,359
RS-485 Pump Interface Card	Z-FL0-PIC803	\$696
4 Channel Tokheim Interface Card	Z-FL0-PIC804	\$802
4 Channel Current Loop Interface Card	Z-FL0-PIC805	\$696
2 each RS232 and RS422 Interface Card	Z-FL0-PIC806	\$696

*Only available for electronic base units

Extended Warranty

Description	Price Option Name	Price
2nd Year	Z-WIP-000002	\$1,066
3rd Year	Z-WIP-000003	\$1,066
4th Year	Z-WIP-000004	\$1,066
5th Year	Z-WIP-000005	\$1,066

Page intentionally left blank.

Atlas PRIME

Atlas PRIME Fuel Management System Gasboy Fleet Systems



Standard Features

- Integrated Dispenser Fleet Management System
- 4.3" Multimedia Color Display
- Contactless Tag Reader (ISO-14443)
- Keypad and Insert Magnetic Card Reader
- Electronic Models with "Z" Options Only
- Web-based interface for local reporting
- Consolidated reporting through Fleet Head Office Interface
- Weights & Measure, UL, cUL Listed

Configurations - 115V/240V, 50/60Hz

Payment Terminal Configurations

Description	Price Option Name	Price
9800 Model Dispensers "Z" Option - Single Sided	Z-AT0-PRME01	\$3,360
9800 Model Dispensers "Z" Option - Dual Sided	Z-AT0-PRME02	\$7,393

**Available only on new dispensers

***On Dispenser requires RS485 option – See Atlas options

Controller Configurations

Description	Price Option Name	Price
Internal Dispenser Controller (single dispenser setup)	Z-AT0-INDSPC	\$2,602

**One Controller required per location

HID Option

Description	Price Option Name	Price
HID Universal Reader Kit	Z-FL0-HRK134	\$1,543
HID Indala Kit	Z-FL0-HRK058	\$1,543

Wireless Gateway Option for use with Fuel Point

Description	Price Option Name	Price
Wireless Gateway License Option	Z-FL0-PRWGWL	\$1,174

Gasboy Service Offering (First year required for each Atlas PRIME with internal controller)

Description	Price Option Name	Price
Gasboy Service Offering - 1 Year	Z-FL0-GSO001	\$715
Gasboy Service Offering - 2 Years	Z-FL0-GSO002	\$1,361
Gasboy Service Offering - 3 Years	Z-FL0-GSO003	\$2,041
Gasboy Service Offering - 4 Years	Z-FL0-GSO004	\$2,719
Gasboy Service Offering - 5 Years	Z-FL0-GSO005	\$3,399

- Warranty requires start-up by Gasboy Authorized Service Representative (ASR).

Options & Accessories

Mifare Contactless Tags/Cards

Description	Price Option Name	Part Number	Price
Blue Mifare Tags - Sold by box only - one box of 10 tags	Z-FL0-MTBU01	M09679B001	\$98
Red Mifare Tags - Sold by box only - one box of 10 tags	Z-FL0-MTRD02	M09679B002	\$98
Black Mifare Tags - Sold by box only - one box of 10 tags	Z-FL0-MTBL07	M09679B007	\$98
Mifare Card - White Blank each	Z-FL0-MTWH03	M09679B003	\$6
Mifare Card White (Numbered) each	Z-FL0-MTWH04	M09679B004	\$8
Mifare Card Green (Numbered) each	Z-FL0-MTGR05	M09679B005	\$8
Mifare Card Yellow (Numbered) each	Z-FL0-MTYL06	M09679B006	\$8

Factory Remote Startup Options

Description	Price Option Name	Price
PRIME Controller Startup Fee (for Gasboy TAC to assist non-certified technician)	Z-FL0-PCSF71	\$548
PRIME Controller Data Loading Fee (when not using FHO or EKOS)	Z-FL0-PCDF72	\$688
On-Site Gasboy Field Engineer Training (per day)	Z-FL0-PCDF73	\$688

Atlas PRIME

Sample Configurations

Single Dispenser Site - Atlas PRIME

Price Option Name	Qty	Description
A9-853S1F-0D	1	Atlas Elec High Flow Single Front Load
Z-AT0-PRME01	1	9800 Model Dispensers "Z" Option - Single Sided
Z-AT0-INDSPC	1	Internal Dispenser Controller (single dispenser setup)
Z-FL0-GSO001	1	Atlas PRIME Gasboy Service Offering
Z-AT0-GFLT00	1	Filter Adapter, Internal
Z-AT0-GVPP00	1	Slowdown Valve, 1" High Flow
Z-AT0-AFI1MS	1	Internal Filter, Standard 10 micron
Z-AT0-ARSI10	1	RS485 Interface, Atlas PRIME
Z-AT0-GEMTSL	1	Totalizer, Elec. Mech. Accum (Gal.)
Z-HHC-HAG807	1	Hose and Nozzle Assembly
Z-FL0-MTBU01	10	GBPLUS Wireless Tag, 10 Pack Blue
FL-HSWFH0-01	1	Fleet Head Office Software - Single Site
FL-HMTR00-00	1	FHO Mifare Tag/Card Reader

Multiple Dispenser Site - Atlas PRIME

Price Option Name	Qty	Description
A9-853T1F-0D	1	Atlas Elec High Flow Twin 1-Prod Front Load Dispenser
Z-AT0-PRME02	1	9800 Model Dispensers "Z" Option - Dual Sided
Z-AT0-INDSPC	1	Internal Dispenser Controller (single dispenser setup)
Z-FL0-GSO001	1	Atlas PRIME Gasboy Service Offering
Z-AT0-GFLT00	2	Filter Adapter, Internal
Z-AT0-GVPP00	2	Slowdown Valve, 1" High Flow
Z-AT0-AFI1MS	2	Internal Filter, Standard 10 micron
Z-AT0-ARSI10	1	RS485 Interface, Atlas PRIME
Z-AT0-GEMTTL	2	Totalizer, Elec. Mech. Accum (Gal.)
Z-HHC-HAG807	2	Hose and Nozzle Assembly
Z-FL0-MTBU01	10	GBPLUS Wireless Tag, 10 Pack Blue
FL-HSWFH0-01	1	Fleet Head Office Software - Single Site
FL-HMTR00-00	1	FHO Mifare Tag/Card Reader

Price Option Name	Qty	Description
A9-853T1F-0D	2	Atlas Elec High Flow Twin 1-Prod Front Load Dispenser
Z-AT0-PRME02	2	9800 Model Dispensers "Z" Option - Dual Sided
Z-AT0-GFLT00	4	Filter Adapter, Internal
Z-AT0-GVPP00	4	Slowdown Valve, 1" High Flow
Z-AT0-AFI1MS	4	Internal Filter, Standard 10 micron
Z-AT0-ARSI10	2	RS485 Interface, Atlas PRIME
Z-AT0-GEMTTL	4	Totalizer, Elec. Mech. Accum (Gal.)
Z-HHC-HAG807	4	Hose and Nozzle Assembly

Personal Computer Software Products

Fleet Head Office - Home Office Software

Features

- Real Time. Web Enabled
- Remote web monitoring, management, reporting and maintenance
- Centralized management of all transactions, vehicles and equipment
- Authorization of vehicles and equipment
- Custom designed limits and restrictions
- Interface with Fleet Management Software and other 3rd party systems
- Ability to network multiple fuel locations

Fleet Head Office - Works with CFN PLUS, Islander PLUS / PRIME, TopKAT PLUS and Fuel Tank Controller (1 Site = 1 Controller)

Description	Price Option Name	Price
Fleet Head Office software (up to 1 site)	FL-HSWFH0-01	\$2,787
Fleet Head Office software (up to 5 sites)	FL-HSWFH0-05	\$5,217

Fleet Head Office Software Package pricing includes factory remote start-up assistance

Fleet Head Office Software Packages available for additional sites – Please consult the factory.

For minimum system requirements, see the latest release of MDE-4821.

Contact your Gasboy Commercial Account Manager for greater than five site installations

Fleet Head Office Upgrade

Description	Price Option Name	Price
Fleet Head Office 5 Site Upgrade	FL-HSWUPG-05	\$5,806

Fleet Head Office Options & Accessories

Type	Part Number	Price Option Name	Price
Enterprise Software Mifare Tag Reader	PA04020401	Z-FLH-PMTR01	\$1,354
Enterprise Software HID Reader (Indala)	PA04020020	Z-FLH-PHR020	\$3,935
Enterprise Software HID Reader (Universal)	PA04020030	Z-FLH-PHR030	\$3,935

Page intentionally left blank.

TopKAT PLUS

TopKAT PLUS Fuel Management System Gasboy Fleet Systems



Standard Features

- Up to 25,000 transactions and 50,000 devices
- Up to (2) mechanical hoses
- Up to (4) 9800 hoses
- Keypad, Mag Card, and Mifare access methods
- Web-based interface for local reporting
- Consolidated reporting through Fleet Head Office Interface
- Weights & Measure and UL Listed
- cUL approved for Pedestal Mount only

Configurations - 115V/240V, 50/60Hz

Electronic Registration Dispensers

Description	Price Option Name	Part Number	Price
9800 On-Dispenser	Z-FL0-TKE098	PA040500100	\$5,382
9800 On-Dispenser with Printer	Z-FL0-TKEP98	PA040500110	\$6,517
Pedestal Mount	FL-TKPEP0-00	PA040500000	\$6,432
Pedestal Mount with Printer	FL-TKPEPP-00	PA040500010	\$7,673

**Available only on new dispensers

***On Dispenser requires D5 and RS485 option – See Atlas options

Mechanical Registration Dispensers

Description	Price Option Name	Part Number	Price
Pedestal Mount	FL-TKPMP0-00	PA040501000	\$7,545
Pedestal Mount with Printer	FL-TKPMP0-00	PA040501010	\$8,638

Gasboy Service Offering (First year required for new TopKat orders)

Description	Price Option Name	Price
Gasboy Service Offering - 1 Year	Z-FL0-GSO001	\$638
Gasboy Service Offering - 2 Year	Z-FL0-GSO002	\$1,215
Gasboy Service Offering - 3 Year	Z-FL0-GSO003	\$1,822
Gasboy Service Offering - 4 Year	Z-FL0-GSO004	\$2,428
Gasboy Service Offering - 5 Year	Z-FL0-GSO005	\$3,035

Options & Accessories

Mifare Contactless Tags/Cards

Description	Price Option Name	Part Number	Price
Blue Mifare Tags - Sold by box only - one box of 10 tags	Z-FL0-MTBU01	M09679B001	\$94
Red Mifare Tags - Sold by box only - one box of 10 tags	Z-FL0-MTRD02	M09679B002	\$94
Black Mifare Tags - Sold by box only - one box of 10 tags	Z-FL0-MTBL07	M09679B007	\$94
Mifare Card - White Blank each	Z-FL0-MTWH03	M09679B003	\$6
Mifare Card White (Numbered) each	Z-FL0-MTWH04	M09679B004	\$8
Mifare Card Green (Numbered) each	Z-FL0-MTGR05	M09679B005	\$8
Mifare Card Yellow (Numbered) each	Z-FL0-MTYL06	M09679B006	\$8

Bypass Switch

Description	Part Number	Price
Mechanical Bypass Switch	M09680K001	Check spares pricing

Factory Remote Startup Options

Description	Price Option Name	Price
PRIME Controller Startup Fee (for Gasboy TAC to assist non-certified technician)	Z-FL0-PCSF71	\$548
PRIME Controller Data Loading Fee (when not using FHO or EKOS)	Z-FL0-PCDF72	\$688
On-Site Gasboy Field Engineer Training (per day)	Z-FL0-PCDF73	\$688

TopKAT PLUS

Sample Configurations

Small Site - TopKAT PLUS Island Controller - 2 Mechanical Dispensers

Price Option Name	Qty	Description
FL-TKPEP0-00	1	Pedestal Mount - Mechanical Dispensers Interface
Z-FL0-GSO001	1	TopKAT PLUS Gasboy Service Offering
Z-FL0-MTBU01	1	GBPLUS Wireless Tag, 10 Pack Blue
FL-HSWFH0-01	1	Fleet Head Office Software - Single Site
Z-FLH-PMTR00	1	FHO Mifare Tag/Card Reader

Small Site - TopKAT PLUS Controller on Dispenser - Atlas 9800 Series

TopKAT PLUS

Price Option Name	Qty	Description
Z-FL0-TKE098	1	9800 On Dispenser - Electronic Dispenser Interface
Z-FL0-GSO001	1	TopKAT PLUS Gasboy Service Offering
Z-FL0-MTBU01	1	GBPLUS Wireless Tag, 10 Pack Blue
FL-HSWFH0-01	1	Fleet Head Office Software - Single Site
Z-FLH-PMTR00	1	FHO Mifare Tag/Card Reader

Atlas for TopKAT PLUS Mount with Typical Options

Price Option Name	Qty	Description
A9-853T1S-0D	1	Atlas Elec High Flow Twin 1-Prod Dispenser
Z-AT0-GFLT00	1	Filter Adapter, Internal
Z-AT0-GVPP00	1	Slowdown Valve, 1" High Flow
Z-AT0-AFI1MS	1	Internal Filter, Standard 10 micron
Z-AT0-GTKM00	1	TopKAT PLUS Mounting Kit
Z-AT0-ARSI00	1	RS485 Interface
Z-AT0-GEMTTG	1	Totalizer, Elec. Mech. Accum (Gal.)
Z-HHC-HAG807	1	Hose and Nozzle Assembly

CFN PLUS

CFN PLUS Fuel Management Systems

Gasboy Fleet Systems



Standard Features

- Wall mount
- Sealed metal box
- A complete station automation in one compact, durable box for internal or external installations
- It interfaces with the dispensers, TLG, Payment Terminals and Nozzle Readers (for opt vehicle identification).
- Built-in Web Server for remote maint.
- Controls 32 Electronic Hoses
- Controls 2 Mech. Hose Outlets-Expandable to 4
- Extension box expands by another 4 mechanical hoses per box.

Configurations - 115V/240V, 50/60Hz

Standard Models

CFN PLUS

# of Hoses	Part Number	Price Option Name	Price
Electronic - 9800 Series	PA039300000	FL-CFNE98-00	\$8,120
2 Mechanical Hoses	PA039300200	FL-CFNM2H-00	\$8,585

***Add Qty 1 of M09680B019 to upgrade from a 2-HOSE MECHANICAL UNIT to a 4-HOSE MECHANICAL UNIT.

Gasboy Service Offering (First year required for new CFN orders)

Description	Price Option Name	Price
Gasboy Service Offering - 1 Year	Z-FL0-GSO001	\$715
Gasboy Service Offering - 2 Years	Z-FL0-GSO002	\$1,361
Gasboy Service Offering - 3 Years	Z-FL0-GSO003	\$2,041
Gasboy Service Offering - 4 Years	Z-FL0-GSO004	\$2,719
Gasboy Service Offering - 5 Years	Z-FL0-GSO005	\$3,399

- Warranty requires start-up by Gasboy Authorized Service Representative (ASR).

Factory Remote Startup Options

Description	Price Option Name	Price
PRIME Controller Startup Fee (for Gasboy TAC to assist non-certified technician)	Z-FL0-PCSF71	\$548
PRIME Controller Data Loading Fee (when not using FHO or EKOS)	Z-FL0-PCDF72	\$688
On-Site Gasboy Field Engineer Training (per day)	Z-FL0-PCDF73	\$688

CFN PLUS Fuel Options & Accessories

Fuel Point PLUS

Wireless Gateway Terminals

Description	Part Number	Price Option Name	Price
Outdoor Wireless Gateway Terminal for CFN PLUS	PA04000011	FL-WGT001-00	\$1,861

CFN PLUS Fuel Options & Accessories

Fuel Point PLUS - Wireless Nozzle Reader - One per nozzle

Nano Wireless Nozzle Readers

Description	Price Option Name	Part Number	Price
nNR-F: Catlow Elite, OPW 11A/B, Husky 1A, Husky X, OPW DEF	Z-FL0-NRF035	M09677B035	\$541
nNR-F: Catlow Max 1, OPW 7H, Husky 1+8, Husky HS, Catlow CM 21, OPW 1290	Z-FL0-NRF036	M09677B036	\$541
nNR-T (back): Posilock + switch	Z-FL0-NRF040	M09677B040	\$900
nNR-XL: CNG	Z-FL0-NRF041	M09677B041	\$564
nNR-XLT: CNG + switch	Z-FL0-NRF042	M09677B042	\$564
nNR-B: Catlow CM 21, OPW 1290	Z-FL0-NRF044	M09677B044	\$900
nNR-T (back): Catlow CM 21, OPW 1290	Z-FL0-NRF045	M09677B045	\$900
nNR-B: Healy 400-900	Z-FL0-NRF046	M09677B046	\$541
nNR-B: V34 Husky Vac	Z-FL0-NRF047	M09677B047	\$541
nNR-B: 11VF VST Vac	Z-FL0-NRF048	M09677B048	\$541
nNR-T (back): Wiggins + switch	Z-FL0-NRF049	M09677B049	\$900

Nozzle Reader Protectors

Description	Price Option Name	Part Number	Price
Nozzle reader protector for M09677B035 nozzle reader	Z-FL0-NRP160	M09680B160	\$18
Nozzle reader protector for M09677B036 nozzle reader	Z-FL0-NRP161	M09680B161	\$18

Vehicle Tank Rings - One per vehicle tank

Self Installed Rings - For all types of vehicles where there is no possibility to hold or fix the ring

Description	Price Option Name	Part Number	Price
70 mm ring / 2.26 inches	Z-FL0-VTR001	M09678B001	\$57
105 mm ring / 4.13 inches	Z-FL0-VTR002	M09678B002	\$57
120 mm ring / 4.72 inches	Z-FL0-VTR003	M09678B003	\$57
130 mm ring / 5.12 inches	Z-FL0-VTR004	M09678B004	\$57

Shaped Rings - For vehicles where ring can be attached

Description	Price Option Name	Part Number	Price
75 mm ring / 2.95 inches	Z-FL0-VTR005	M09678B005	\$57
85 mm ring / 3.35 inches	Z-FL0-VTR006	M09678B006	\$57
95 mm ring / 3.74 inches	Z-FL0-VTR007	M09678B007	\$57

Molded Rings

Description	Price Option Name	Part Number	Price
55 mm ring / 2.17 inches	Z-FL0-VTR010	M09678B010	\$57
58 mm thin ring / 2.28 inches	Z-FL0-VTR020	M09678B020	\$57
80 mm ring / 3.15 inches	Z-FL0-VTR011	M09678B011	\$57
90 mm ring / 3.54 inches	Z-FL0-VTR012	M09678B012	\$57
95 mm ring / 3.74 inches	Z-FL0-VTR013	M09678B013	\$57
110 mm ring / 4.33 inches	Z-FL0-VTR014	M09678B014	\$57
120 mm ring / 4.72 inches	Z-FL0-VTR015	M09678B015	\$57
130 mm ring / 5.11 inches	Z-FL0-VTR016	M09678B016	\$57
145 mm ring / 5.71 inches	Z-FL0-VTR017	M09678B017	\$57

Wiggins Rings - for use with Wiggins Nozzle

Description	Price Option Name	Part Number	Price
Wiggins 125 mm x 183 mm	Z-FL0-VTR018	M09678B018	\$197
Wiggins 96 mm x 154 mm	Z-FL0-VTR019	M09678B019	\$197

Fuel Point Plus Chip

Description	Price Option Name	Part Number	Price
Replacement Fuel Point Plus Chip - for all ring sizes		M09680B020	\$43

Fuel Cube - for use with light duty vehicles that have a fuel door

Description	Price Option Name	Part Number	Price
Fuel Cube - antennae and security chip all-in-one	Z-FL0-VTR021	M09678B021	\$57

CFN PLUS

CFN PLUS Fuel Options & Accessories - Fuel Point Plus

DataPass - Vehicle Bus Interface (One per vehicle)

Description	Price Option Name	Part Number	Price
Micro-datapass: OBD Plug Unit Supporting CAN & K-Line Protocol (Light Vehicles)	Z-FL0-DPVB09	M09693B009	\$216
DataPass (OBD + Pulses) - wired	Z-FL0-DPVB04	M09693B004	\$216
Heavy Vehicles & Vehicles Without Bus that Uses Pulses (J1708/J1587 + J1939/FMS + Pulses)	Z-FL0-DPVB01	M09693B001	\$216

DataPass - Vehicle/Reefer Wire Pass Through Harnesses Install Kits

Description	Price Option Name	Part Number	Price
Vehicles 2016 and newer Mack / Volvo Truck cable wire harness (OBDII connector)	Z-FL0-DPQ159	M09680B159	\$81
Vehicles 2016 & Newer Freightliner Splice Pack Wire Harness	Z-FL0-DPIK08	M12200A008	\$24
Vehicles 2016 & Newer (J1939) Peterbilts & Kenworths Cable Wire Harness	Z-FL0-DPIK07	M12200A007	\$156
Vehicles 2016 & Newer (J1939) International Cable Wire Harness	Z-FL0-DPIK06	M12200A006	\$137
Vehicles 2010 to 2015 (J1939) Peterbilts & Kenworths Cable Wire Harness	Z-FL0-DPIK05	M12200A005	\$132
Vehicles 2009 & Older (J1708) Peterbilts & Kenworths Cable Wire Harness	Z-FL0-DPIK04	M12200A004	\$132
Vehicles 2010 to 2015 Int'l & Freightliner (J1939)	Z-FL0-DPIK02	M12200A002	\$129
Vehicles 2009 & Older (J1708) Int'l & Freightliner	Z-FL0-DPIK01	M12200A001	\$129
Thermoking MP-IV	Z-FL0-DPIKT1	M12475A001	\$40
Thermoking SR2 Smart Reefer 2	Z-FL0-DPIKT2	M12475A002	\$38

DataPass - Vehicle Wire Quick Connect Harnesses Install Kits

Description	Price Option Name	Part Number	Price
J 1708 6 PIN Harness	Z-FL0-DPQ139	M09680B139	\$62
J 1708/J1939 9 PIN Harness with Selectable Protocol Switch*	Z-FL0-DPQ140	M09680B140	\$77
J 1708/J1939 9 PIN Harness with Selectable Protocol Switch 2016 and newer*	Z-FL0-DPQ157	M09680B157	\$77
*Not for International Trucks. Use M12200A001, M12200A002, or M12200A006			

Wireless Vehicle Programmer - Programs DataPass, Vehicle Tank Ring, and Wireless Nozzle Readers

Description	Price Option Name	Part Number	Price
Wireless Vehicle Programmer	Z-FL0-WVP000	PA04010000	\$3,871
Wireless Vehicle Programmer	Z-FL0-WVP001	PA04010000P	\$4,169

Mifare Contactless Tags/Cards

Description	Price Option Name	Part Number	Price
Blue Mifare Tags - Sold by box only - one box of 10 tags	Z-FL0-MTBU01	M09679B001	\$98
Red Mifare Tags - Sold by box only - one box of 10 tags	Z-FL0-MTRD02	M09679B002	\$98
Black Mifare Tags - Sold by box only - one box of 10 tags	Z-FL0-MTBL07	M09679B007	\$98
Mifare Card - White Blank each	Z-FL0-MTWH03	M09679B003	\$6
Mifare Card White (Numbered) each	Z-FL0-MTWH04	M09679B004	\$8
Mifare Card Green (Numbered) each	Z-FL0-MTGR05	M09679B005	\$8
Mifare Card Yellow (Numbered) each	Z-FL0-MTYL06	M09679B006	\$8

Pump Control Unit

Description	Price Option Name	Part Number	Price
Extension Box, 4 Mechanical Hoses	Z-FL0-PCEB00	PA03990000	\$4,731

Pump Interface Cards

Description	Price Option Name	Part Number	Price
Mechanical Pump Interface Card	Z-FL0-PICM19	M09680B019	\$839
RS-485 Pump Interface Card	Z-FL0-PIC017	M09680B017	\$697
Current Loop Pump Interface Card	Z-FL0-PIC029	M09680B029	\$750
RS-232 VR Interface Card	Z-FL0-PIC016	M09680B016	\$697
Tokheim Pump Interface Card	Z-FL0-PIC028	M09680B028	\$750

Network Software

Description	Price Option Name (Configured)	Price
NBS Fipay Network Software (Includes Paymentech)*	FL-NWSW10-00	\$1,332
T-Chek Fipay Network Software*	FL-NWSW60-00	\$1,332
EFS/TCH Fipay Network Software*	FL-NWSW70-00	\$1,332

*Pricing includes 1st Year Software Support

CFN PLUS

CFN PLUS Fuel Options & Accessories

Network Gasboy Service Offering

Gilbarco CRIND Interface

Description	Part Number	Price Option Name	Price
RS-422 Interface Card (For Gilbarco Universal D-Box Interface; Pumps & CRINDS.) (2 per D-Box)	M09680B030	Z-FL0-PIC030	\$750
D-Box Connector (DB9/RS11) (2 per D-Box)	C05981	Z-FL0-CIDBC0	\$105
Cable Assembly (2 per D-Box)	C05999	Z-FL0-CICA00	\$43
Universal D-Box (Dual Board, 2 inputs)	PA0261000022	Z-CM0-DBXU02	\$1,337

Wayne CAT Interface

Description	Part Number	Price Option Name	Price
Current Loop Interface Card (For Wayne D-Box pump Interface) (1 per D-Box)	M09680B029	Z-FL0-PIC029	\$750
RS485 Interface Card (For Wayne CAT Interface) (1 per CFN PLUS controller)	M09680B017	Z-FL0-PIC017	\$697
CAT5 Cable from Wayne D-Box (1 per D-Box)	Q13850-03	Z-FL0-CICLW0	\$10
Two-Wire Interface Connector RS45/DB9 (1 per D-Box)	Q13180-12B	Z-FL0-CI2WC0	\$10
Cable Assembly; DB9F/DB9F, 6ft (1 per D-Box)	C05991	Z-FL0-CICA01	\$43
Wayne D-Box	PA03380000	Z-FL0-DBXW00	\$1,931

Fuel Truck Controller

Fuel Truck Controller Fuel Management System

Gasboy Fleet Systems



Standard Features

- Sealed metal box for mobile tanker truck applications.
- Operates in 12V or 24V applications
- Operates 2 or 4 hoses
- Controls & Collects Fuel Delivery Through Contactless Tags or Vehicle Identification Units
- Built-in Web Server for remote maint.

Configurations - 12V/24V - Standard Models

Standard Models

Fuel Truck Controller

# of Hoses	Part Number	Price Option Name	Price
2 Mechanical Hoses	PA039600200	FL-FTC2H0-00	\$12,140

***Add Qty 1 of M09680B019 to upgrade from a 2-HOSE MECHANICAL UNIT to a 4-HOSE MECHANICAL UNIT.

Gasboy Service Offering

Description	Price Option Name	Price
Gasboy Service Offering - 1 Year	Z-FL0-GSO001	\$715
Gasboy Service Offering - 2 Years	Z-FL0-GSO002	\$1,361
Gasboy Service Offering - 3 Years	Z-FL0-GSO003	\$2,041
Gasboy Service Offering - 4 Years	Z-FL0-GSO004	\$2,719
Gasboy Service Offering - 5 Years	Z-FL0-GSO005	\$3,399

- Warranty requires start-up by Gasboy Authorized Service Representative (ASR).

Factory Remote Startup Options

Description	Price Option Name	Price
PRIME Controller Startup Fee (for Gasboy TAC to assist non-certified technician)	Z-FL0-PCSF71	\$548
PRIME Controller Data Loading Fee (when not using FHO or EKOS)	Z-FL0-PCDF72	\$688
On-Site Gasboy Field Engineer Training (per day)	Z-FL0-PCDF73	\$688

Fuel Truck Controller Options & Accessories

Remote Display and Printer

Description	Price Option Name	Part Number	Price
FTC Remote Display - Mifare Tag	Z-FL0-FTCRDK	Z-FL0-FTCRDM	\$691
FTC Remote Display - Keypad & Mifare Tag	Z-FL0-FTCRDM	Z-FL0-FTCRDK	\$813
FTC Remote Display - Keypad, Mifare Tag & Card Swipe	Z-FL0-FTCRDS	PA04020201	\$922
FTC Mobile Printer (12V)	Z-FL0-FTCMP0	M09680B099	\$841

***Add Qty 1 of M09680B017 to install any FTC Remote Display

***Add Qty 1 of M09680B119 to mount any FTC Remote Display

***Add Qty 1 of M09680B016 to install FTC Mobile Printer

Fuel Point PLUS

Wireless Gateway Terminal

Description	Part Number	Price Option Name	Price
Outdoor Wireless Gateway Terminals - FTC	PA04000012	FL-WGT002-00	\$2,106

Fuel Truck Controller

Fuel Truck Controller Options & Accessories

Fuel Point PLUS - Wireless Nozzle Reader - One per nozzle

Nano Wireless Nozzle Readers

Description	Price Option Name	Part Number	Price
nNR-F: Catlow Elite, OPW 11A/B, Husky 1A, Husky X, OPW DEF	Z-FL0-NRF035	M09677B035	\$541
nNR-F: Catlow Max 1, OPW 7H, Husky 1+8, Husky HS, Catlow CM 21, OPW 1290	Z-FL0-NRF036	M09677B036	\$541
nNR-T: Catlow Elite, OPW 11A/B, Husky 1A, Husky X, OPW DEF + switch	Z-FL0-NRF037	M09677B037	\$541
nNR-T: Catlow Max 1, OPW 7H, Husky 1+8, Husky HS + switch	Z-FL0-NRF038	M09677B038	\$541
nNR-T (back): Posilock + switch	Z-FL0-NRF040	M09677B040	\$900
nNR-XL: CNG	Z-FL0-NRF041	M09677B041	\$564
nNR-XLT: CNG + switch	Z-FL0-NRF042	M09677B042	\$564
nNR-B: Catlow CM 21, OPW 1290	Z-FL0-NRF044	M09677B044	\$900
nNR-T (back): Catlow CM 21, OPW 1290	Z-FL0-NRF045	M09677B045	\$900
nNR-B: Healy 400-900	Z-FL0-NRF046	M09677B046	\$541
nNR-B: V34 Husky Vac	Z-FL0-NRF047	M09677B047	\$541
nNR-B: 11VF VST Vac	Z-FL0-NRF048	M09677B048	\$541
nNR-T (back): Wiggins + switch	Z-FL0-NRF049	M09677B049	\$900

Nozzle Reader Protectors

Description	Price Option Name	Part Number	Price
Nozzle reader protector for M09677B035 nozzle reader	Z-FL0-NRP160	M09680B160	\$18
Nozzle reader protector for M09677B036 nozzle reader	Z-FL0-NRP161	M09680B161	\$18

Vehicle Tank Rings - One per vehicle tank

Self Installed Rings - For all types of vehicles where there is no possibility to hold or fix the ring

Description	Price Option Name	Part Number	Price
70 mm ring / 2.26 inches	Z-FL0-VTR001	M09678B001	\$57
105 mm ring / 4.13 inches	Z-FL0-VTR002	M09678B002	\$57
120 mm ring / 4.72 inches	Z-FL0-VTR003	M09678B003	\$57
130 mm ring / 5.12 inches	Z-FL0-VTR004	M09678B004	\$57

Shaped Rings - For vehicles where ring can be attached

Description	Price Option Name	Part Number	Price
75 mm ring / 2.95 inches	Z-FL0-VTR005	M09678B005	\$57
85 mm ring / 3.35 inches	Z-FL0-VTR006	M09678B006	\$57
95 mm ring / 3.74 inches	Z-FL0-VTR007	M09678B007	\$57

Molded Rings

Description	Price Option Name	Part Number	Price
55 mm ring / 2.17 inches	Z-FL0-VTR010	M09678B010	\$57
58 mm thin ring / 2.28 inches	Z-FL0-VTR020	M09678B020	\$57
80 mm ring / 3.15 inches	Z-FL0-VTR011	M09678B011	\$57
90 mm ring / 3.54 inches	Z-FL0-VTR012	M09678B012	\$57
95 mm ring / 3.74 inches	Z-FL0-VTR013	M09678B013	\$57
110 mm ring / 4.33 inches	Z-FL0-VTR014	M09678B014	\$57
120 mm ring / 4.72 inches	Z-FL0-VTR015	M09678B015	\$57
130 mm ring / 5.11 inches	Z-FL0-VTR016	M09678B016	\$57
145 mm ring / 5.71 inches	Z-FL0-VTR017	M09678B017	\$57

Wiggins Rings - for use with Wiggins Nozzle

Description	Price Option Name	Part Number	Price
Wiggins 125 mm x 183 mm	Z-FL0-VTR018	M09678B018	\$197
Wiggins 96 mm x 154 mm	Z-FL0-VTR019	M09678B019	\$197

Fuel Point Plus Chip

Description	Price Option Name	Part Number	Price
Replacement Fuel Point Plus Chip - for all ring sizes		M09680B020	\$43

Fuel Cube - for use with light duty vehicles that have a fuel door

Description	Price Option Name	Part Number	Price
Fuel Cube - antennae and security chip all-in-one	Z-FL0-VTR021	M09678B021	\$57

Fuel Truck Controller

Fuel Truck Controller Options & Accessories

Fuel Point PLUS

DataPass - Vehicle/Reefer Wire Pass Through Harnesses Install Kits

Description	Price Option Name	Part Number	Price
Vehicles 2016 and newer Mack / Volvo Truck cable wire harness (OBDII connector)	Z-FL0-DPQ159	M09680B159	\$81
Vehicles 2016 & Newer Freightliner Splice Pack Wire Harness	Z-FL0-DPIK08	M12200A008	\$24
Vehicles 2016 & Newer (J1939) Peterbilts & Kenworths Cable Wire Harness	Z-FL0-DPIK07	M12200A007	\$156
Vehicles 2016 & Newer (J1939) International Cable Wire Harness	Z-FL0-DPIK06	M12200A006	\$137
Vehicles 2010 to 2015 (J1939) Peterbilts & Kenworths Cable Wire Harness	Z-FL0-DPIK05	M12200A005	\$132
Vehicles 2009 & Older (J1708) Peterbilts & Kenworths Cable Wire Harness	Z-FL0-DPIK04	M12200A004	\$132
Vehicles 2010 to 2015 Int'l & Freightliner (J1939)	Z-FL0-DPIK02	M12200A002	\$129
Vehicles 2009 & Older (J1708) Int'l & Freightliner	Z-FL0-DPIK01	M12200A001	\$129
Thermoking MP-IV	Z-FL0-DPIKT1	M12475A001	\$40
Thermoking SR2 Smart Reefer 2	Z-FL0-DPIKT2	M12475A002	\$38

DataPass - Vehicle Wire Quick Connect Harnesses Install Kits

Description	Price Option Name	Part Number	Price
J 1708 6 PIN Harness	Z-FL0-DPQ139	M09680B139	\$62
J 1708/J1939 9 PIN Harness with Selectable Protocol Switch*	Z-FL0-DPQ140	M09680B140	\$77
J 1708/J1939 9 PIN Harness with Selectable Protocol Switch 2016 and newer*	Z-FL0-DPQ157	M09680B157	\$77

*Not for International Trucks. Use M12200A001, M12200A002, or M12200A006

DataPass - Vehicle Bus Interface

Description	Price Option Name	Part Number	Price
Micro-datapass: OBD Plug Unit Supporting CAN & K-Line Protocol (Light Vehicles)	Z-FL0-DPVB09	M09693B009	\$216
DataPass (OBD + Pulses) - wired	Z-FL0-DPVB04	M09693B004	\$216
Heavy Vehicles & Vehicles Without Bus that Uses Pulses (J1708/J1587 + J1939/FMS + Pulses)	Z-FL0-DPVB01	M09693B001	\$216

Wireless Vehicle Programmer - Programs DataPass, Vehicle Tank Ring, and Wireless Nozzle Readers

Description	Price Option Name	Part Number	Price
Wireless Vehicle Programmer	Z-FL0-WVP000	PA04010000	\$3,871
Wireless Vehicle Programmer	Z-FL0-WVP001	PA04010000P	\$4,169

Mifare Contactless Tags/Cards

Description	Price Option Name	Part Number	Price
Blue Mifare Tags - Sold by box only - one box of 10 tags	Z-FL0-MTBU01	M09679B001	\$98
Red Mifare Tags - Sold by box only - one box of 10 tags	Z-FL0-MTRD02	M09679B002	\$98
Black Mifare Tags - Sold by box only - one box of 10 tags	Z-FL0-MTBL07	M09679B007	\$98
Mifare Card - White Blank each	Z-FL0-MTWH03	M09679B003	\$6
Mifare Card White (Numbered) each	Z-FL0-MTWH04	M09679B004	\$8
Mifare Card Green (Numbered) each	Z-FL0-MTGR05	M09679B005	\$8
Mifare Card Yellow (Numbered) each	Z-FL0-MTYL06	M09679B006	\$8

Pump Control Unit

Description	Price Option Name	Part Number	Price
Extension Box, 4 Mechanical Hoses	Z-FL0-PCEB10	PA03991000	\$5,095

Pump Interface Cards

Description	Price Option Name	Part Number	Price
Mechanical Pump Interface Card	Z-FL0-PICM19	M09680B019	\$839
RS-485 Pump Interface Card	Z-FL0-PIC017	M09680B017	\$697
RS-232 VR Interface Card	Z-FL0-PIC016	M09680B016	\$697

Options

Description	Part Number	Price
FTC Install Kit - Shock Absorber + Plate	M09680B039	\$3,844
Mounting Bracket - FTC Remote Display	M09680B119	\$181

Page intentionally left blank.

Mobile Handheld Authorizer

Mobile Handheld Authorizer



Standard Features

- Ability to track fuel dispensed from small fuel tanks
- On-site processing with automatic synchronization to Fleet Head Office Software
- Locally stores Up to 1,000 transactions
- Rugged handheld - IP67 rating - completely sealed to dust and water

Mobile Handheld Tablet

Mobile Handheld Tablet

Description	Part Number	Price Option Name	Price
Mobile Handheld Tablet	PA04020302	FL-MHAT00-00	\$2,502

***Appropriate Fleet Head Office License Must Be Ordered. Each Handheld Tablet/Application Equals 1 Station

***A Mobile Handheld Application Must Be Ordered Per Mobile Handheld Tablet

Mobile Handheld Application

Mobile Handheld Application

Description	Price Option Name	Price
Mobile Handheld Application Only	FL-MHAA00-00	\$1,496

***Appropriate Android Tablet Running Version 4.1 or Higher Required To Run Application.

***Appropriate Fleet Head Office License Must Be Ordered. Each Handheld Tablet/Application Equals 1 Station

Page intentionally left blank.

Passport Authorization Server

Passport Authorization Server



Standard Features

- Ability to accept and manage local cards
- On-site processing with automatic synchronization to Fleet Head Office Software
- Locally stores Up to 25,000 transactions and 50,000 cards
- Interfaces with Passport Enhanced Dispenser Hub

Passport Authorization Server - One per location

Passport Authorization Server

Description	Part Number	Price Option Name	Price
Passport Authorization Server	PA0416000000	FL-PPASVR-00	\$3,218

***Appropriate Fleet Head Office License Must Be Ordered.

Enhanced Card Services Module - One per location

Enhanced Card Service Passport Module

Description	Price Option Name	Price
Enhanced Card Service Passport Module	FL-PPECSM-00	\$1,184

***Appropriate Fleet Head Office License Must Be Ordered.

Page intentionally left blank.

Electrical Keytrol

Electric Keytrol Replacment Locks and Keys

Description	Price Option Name	Price
Duplicate Keys*	FL-ADUPK0-00	\$20
Replacement Keyswitch Lock	FL-ARKL00-00	\$152

*Ordering information for the Keys that are available:

Example:

1) 9152K

2) EK+10:1

9152K EK+10:1

3) EK MOD 10 Key

*Ordering information for the Keys that are available:

Key Prefix	Number Range	Key Prefix	Number Range
WME	1 to 16000	WMF	1 to 16000
WMG	1 to 16000	WMH	1 to 97005
WMJ	1 to 35000	WMX	1 to 9850
WMW	1 to 19950	LN	1 to 10000
NB	1 to 10000	BY	1 to 10000
KW	1 to 10000	WY	1 to 10000
KD	1 to 10000	LK	1 to 10000
PEN	1 to 310	GAB	1 to 10000
WW	201 to 9999		
	12126 to 12130		
	13126 to 13130		



GASBOY

© 2021 Gasboy Inc.
7300 West Friendly Avenue • Post Office Box 22087
Greensboro, North Carolina 27410
Phone (336) 547-5000 • <http://www.gasboy.com> • Printed in the U.S.A.
GPL-5100Y • Gasboy® Inc. Commercial and Fleet Equipment Price List
for US & Canada Sold Products
Global Price List • Effective Date 1/11/2021