

**RIGIDFLEX SEMI-RIGID, DOUBLE-BOOT FITTINGS****Std. UV Design****Conduit & Small Diameter Pipe Applications (Small Housing 3.25" Hole)**

| | | | |
|----------|--|------|------|
| RFSF.84 | RigidFlex Entry Fitting for Flat Surface .84" | \$68 | \$84 |
| RFSC.84 | RigidFlex Entry Fitting for Curved Surface .84" | \$68 | \$84 |
| RFSF1.0 | RigidFlex Entry Fitting for Flat Surface 1.0" | \$68 | \$84 |
| RFSC1.0 | RigidFlex Entry Fitting for Curved Surface 1.0" | \$68 | \$84 |
| RFSF1.26 | RigidFlex Entry Fitting for Flat Surface 1.26" | \$68 | \$84 |
| RFSC1.26 | RigidFlex Entry Fitting for Curved Surface 1.26" | \$68 | \$84 |
| RFSF1.4 | RigidFlex Entry Fitting for Flat Surface 1.4" | \$68 | \$84 |
| RFSC1.4 | RigidFlex Entry Fitting for Curved Surface 1.4" | \$68 | \$84 |
| RFSF1.6 | RigidFlex Entry Fitting for Flat Surface 1.6" | \$68 | \$84 |
| RFSC1.6 | RigidFlex Entry Fitting for Curved Surface 1.6" | \$68 | \$84 |

**Medium Diameter "Direct Bury" Pipe Applications (Medium Housing 5.5" Hole)**

| | | | |
|----------|--|------|------|
| RFMF1.8 | RigidFlex Entry Fitting for Flat Surface 1.8" | \$79 | \$95 |
| RFMC1.8 | RigidFlex Entry Fitting for Curved Surface 1.8" | \$79 | \$95 |
| RFMF2.0 | RigidFlex Entry Fitting for Flat Surface 2.0" | \$79 | \$95 |
| RFMC2.0 | RigidFlex Entry Fitting for Curved Surface 2.0" | \$79 | \$95 |
| RFMF2.25 | RigidFlex Entry Fitting for Flat Surface 2.25" | \$79 | \$95 |
| RFMC2.25 | RigidFlex Entry Fitting for Curved Surface 2.25" | \$79 | \$95 |
| RFMF2.5 | RigidFlex Entry Fitting for Flat Surface 2.5" | \$79 | \$95 |
| RFMC2.5 | RigidFlex Entry Fitting for Curved Surface 2.5" | \$79 | \$95 |
| RFMF2.7 | RigidFlex Entry Fitting for Flat Surface 2.7" | \$79 | \$95 |
| RFMC2.7 | RigidFlex Entry Fitting for Curved Surface 2.7" | \$79 | \$95 |
| RFMF3.0 | RigidFlex Entry Fitting for Flat Surface 3.0" | \$79 | \$95 |
| RFMC3.0 | RigidFlex Entry Fitting for Curved Surface 3.0" | \$79 | \$95 |
| RFMF3.3 | RigidFlex Entry Fitting for Flat Surface 3.3" | \$79 | \$95 |
| RFMC3.3 | RigidFlex Entry Fitting for Curved Surface 3.3" | \$79 | \$95 |
| RFMF3.5 | RigidFlex Entry Fitting for Flat Surface 3.5" | \$79 | \$95 |
| RFMC3.5 | RigidFlex Entry Fitting for Curved Surface 3.5" | \$79 | \$95 |
| RFMF3.7 | RigidFlex Entry Fitting for Flat Surface 3.7" | \$79 | \$95 |
| RFMC3.7 | RigidFlex Entry Fitting for Curved Surface 3.7" | \$79 | \$95 |

**Medium Diameter Pipe Applications w/ 4" Ducting to Outer Boot (Medium Housing 5.5" Hole)**

| | | | |
|--------------|---|------|-------|
| RFMF4.8x1.8 | RigidFlex Entry Fitting for Flat Surface 4.8" x 1.8" | \$95 | \$110 |
| RFMC4.8x1.8 | RigidFlex Entry Fitting for Curved Surface 4.8" x 1.8" | \$95 | \$110 |
| RFMF4.8x2.0 | RigidFlex Entry Fitting for Flat Surface 4.8" x 2.0" | \$95 | \$110 |
| RFMC4.8x2.0 | RigidFlex Entry Fitting for Curved Surface 4.8" x 2.0" | \$95 | \$110 |
| RFMF4.8x2.25 | RigidFlex Entry Fitting for Flat Surface 4.8" x 2.25" | \$95 | \$110 |
| RFMC4.8x2.25 | RigidFlex Entry Fitting for Curved Surface 4.8" x 2.25" | \$95 | \$110 |
| RFMF4.8x2.5 | RigidFlex Entry Fitting for Flat Surface 4.8" x 2.5" | \$95 | \$110 |
| RFMC4.8x2.5 | RigidFlex Entry Fitting for Curved Surface 4.8" x 2.5" | \$95 | \$110 |
| RFMF4.8x2.7 | RigidFlex Entry Fitting for Flat Surface 4.8" x 2.7" | \$95 | \$110 |
| RFMC4.8x2.7 | RigidFlex Entry Fitting for Curved Surface 4.8" x 2.7" | \$95 | \$110 |



* Add an "F" to the end of the part number for "filled" option. Add a "UV" to the end for White colored AST UV resistant design.




Large Diameter "Direct Bury" Pipe Applications (Large Housing 6.625" Hole)

| | | | |
|--------------|---|-------|-------|
| RFLF4.3 | RigidFlex Entry Fitting for Flat Surface 4.3" | \$95 | \$110 |
| RFLC4.3 | RigidFlex Entry Fitting for Curved Surface 4.3" | \$95 | \$110 |
| RFLF4.5 | RigidFlex Entry Fitting for Flat Surface 4.5" | \$95 | \$110 |
| RFLC4.5 | RigidFlex Entry Fitting for Curved Surface 4.5" | \$95 | \$110 |
| RFLF4.7 | RigidFlex Entry Fitting for Flat Surface 4.7" | \$95 | \$110 |
| RFLC4.7 | RigidFlex Entry Fitting for Curved Surface 4.7" | \$95 | \$110 |
| RFLF5.0 | RigidFlex Entry Fitting for Flat Surface 5.0" | \$95 | \$110 |
| RFLC5.0 | RigidFlex Entry Fitting for Curved Surface 5.0" | \$95 | \$110 |
| RFLF5.3 | RigidFlex Entry Fitting for Flat Surface 5.3" | \$95 | \$110 |
| RFLC5.3 | RigidFlex Entry Fitting for Curved Surface 5.3" | \$95 | \$110 |
| RFLF1.9x1.4D | RigidFlex Entry Fitting for Flat Surface & Dual Entry | \$145 | \$175 |
| RFLC1.9x1.4D | RigidFlex Entry Fitting for Curved & Dual Entry | \$145 | \$175 |


Large Fittings for 4" Ducting Through Fitting Application (Large Housing 6.625" Hole)

| | | | |
|--------------|---|------|-------|
| RFLF4.8x2.0 | RigidFlex Fitting for Flat Surface 4.8" x 2.0" | \$95 | \$110 |
| RFLC4.8x2.0 | RigidFlex Fitting for Curved Surface 4.8" x 2.0" | \$95 | \$110 |
| RFLF4.8x2.25 | RigidFlex Fitting for Flat Surface 4.8" x 2.25" | \$95 | \$110 |
| RFLC4.8x2.25 | RigidFlex Fitting for Curved Surface 4.8" x 2.25" | \$95 | \$110 |
| RFLF4.8x2.5 | RigidFlex Fitting for Flat Surface 4.8" x 2.5" | \$95 | \$110 |
| RFLC4.8x2.5 | RigidFlex Fitting for Curved Surface 4.8" x 2.5" | \$95 | \$110 |
| RFLF4.8x2.7 | RigidFlex Fitting for Flat Surface 4.8" x 2.7" | \$95 | \$110 |
| RFLC4.8x2.7 | RigidFlex Fitting for Curved Surface 4.8" x 2.7" | \$95 | \$110 |
| RFLF4.8 | RigidFlex Fitting for Flat Surface 4.8" | \$95 | \$110 |
| RFLC4.8 | RigidFlex Fitting for Curved Surface 4.8" | \$95 | \$110 |


Extra-Large Fittings for 6" to 12" Pipe Applications (Steel, PVC, Ductile Iron)

| | | | |
|-----------|---|-------|-------|
| RFXLF6.3 | RigidFlex Entry Fitting for Flat/Curved Surface 6.3" | \$300 | \$350 |
| RFXLF6.8 | RigidFlex Entry Fitting for Flat/Curved Surface 6.8" | \$300 | \$350 |
| RFXLF8.8 | RigidFlex Entry Fitting for Flat/Curved Surface 8.8" | \$300 | \$350 |
| RFXLF9.0 | RigidFlex Entry Fitting for Flat/Curved Surface 9.0" | \$750 | \$800 |
| RFXLF11.0 | RigidFlex Entry Fitting for Flat/Curved Surface 11.0" | \$750 | \$800 |
| RFXLF13.0 | RigidFlex Entry Fitting for Flat/Curved Surface 13.0" | \$750 | \$800 |



* Add an "F" to the end of the part number for "filled" option. Add a "UV" to the end for White colored AST UV resistant design.



**RFECO SEMI-RIGID, SINGLE-BOOT FITTINGS****Std. UV Design****Conduit & Small Diameter Pipe Applications (Small Housing 3.25" Hole)**

| | | | |
|----------|---|------|------|
| EcoSF.84 | RFeco Entry Fitting for Flat Surface .84" | \$39 | \$47 |
| EcoSC.84 | RFeco Entry Fitting for Curved Surface .84" | \$39 | \$47 |
| EcoSF1.0 | RFeco Entry Fitting for Flat Surface 1.0" | \$39 | \$47 |
| EcoSC1.0 | RFeco Entry Fitting for Curved Surface 1.0" | \$39 | \$47 |
| EcoSF1.3 | RFeco Entry Fitting for Flat Surface 1.3" | \$39 | \$47 |
| EcoSC1.3 | RFeco Entry Fitting for Curved Surface 1.3" | \$39 | \$47 |
| EcoSF1.4 | RFeco Entry Fitting for Flat Surface 1.4" | \$39 | \$47 |
| EcoSC1.4 | RFeco Entry Fitting for Curved Surface 1.4" | \$39 | \$47 |
| EcoSF1.6 | RFeco Entry Fitting for Flat Surface 1.6" | \$39 | \$47 |
| EcoSC1.6 | RFeco Entry Fitting for Curved Surface 1.6" | \$39 | \$47 |

**Medium Diameter "Direct Bury" Pipe Applications (Medium Housing 5.5" Hole)**

| | | | |
|-----------|--|------|------|
| EcoMF1.8 | RFeco Entry Fitting for Flat Surface 1.8" | \$49 | \$57 |
| EcoMC1.8 | RFeco Entry Fitting for Curved Surface 1.8" | \$49 | \$57 |
| EcoMF2.0 | RFeco Entry Fitting for Flat Surface 2.0" | \$49 | \$57 |
| EcoMC2.0 | RFeco Entry Fitting for Curved Surface 2.0" | \$49 | \$57 |
| EcoMF2.25 | RFeco Entry Fitting for Flat Surface 2.25" | \$49 | \$57 |
| EcoMC2.25 | RFeco Entry Fitting for Curved Surface 2.25" | \$49 | \$57 |
| EcoMF2.5 | RFeco Entry Fitting for Flat Surface 2.5" | \$49 | \$57 |
| EcoMC2.5 | RFeco Entry Fitting for Curved Surface 2.5" | \$49 | \$57 |
| EcoMF2.7 | RFeco Entry Fitting for Flat Surface 2.7" | \$49 | \$57 |
| EcoMC2.7 | RFeco Entry Fitting for Curved Surface 2.7" | \$49 | \$57 |
| EcoMF3.0 | RFeco Entry Fitting for Flat Surface 3.0" | \$49 | \$57 |
| EcoMC3.0 | RFeco Entry Fitting for Curved Surface 3.0" | \$49 | \$57 |
| EcoMF3.5 | RFeco Entry Fitting for Flat Surface 3.5" | \$49 | \$57 |
| EcoMC3.5 | RFeco Entry Fitting for Curved Surface 3.5" | \$49 | \$57 |
| EcoMF3.7 | RFeco Entry Fitting for Flat Surface 3.7" | \$49 | \$57 |
| EcoMC3.7 | RFeco Entry Fitting for Curved Surface 3.7" | \$49 | \$57 |

**Large Diameter "Direct Bury" Pipe Applications (Large Housing 6.625" Hole)**

| | | | |
|---------------|--|------|------|
| EcoLF4.3 | RFeco Entry Fitting for Flat Surface 4.3" | \$59 | \$67 |
| EcoLC4.3 | RFeco Entry Fitting for Curved Surface 4.3" | \$59 | \$67 |
| EcoLF4.5 | RFeco Entry Fitting for Flat Surface 4.5" | \$59 | \$67 |
| EcoLC4.5 | RFeco Entry Fitting for Curved Surface 4.5" | \$59 | \$67 |
| EcoLF4.7 | RFeco Entry Fitting for Flat Surface 4.7" | \$59 | \$67 |
| EcoLC4.7 | RFeco Entry Fitting for Curved Surface 4.7" | \$59 | \$67 |
| EcoLF4.8 | RFeco Entry Fitting for Flat Surface 4.8" | \$59 | \$67 |
| EcoLC4.8 | RFeco Entry Fitting for Curved Surface 4.8" | \$59 | \$67 |
| EcoLF5.0 | RFeco Entry Fitting for Flat Surface 5.0" | \$59 | \$67 |
| EcoLC5.0 | RFeco Entry Fitting for Curved Surface 5.0" | \$59 | \$67 |
| EcoLF5.3 | RFeco Entry Fitting for Flat Surface 5.3" | \$59 | \$67 |
| EcoLC5.3 | RFeco Entry Fitting for Curved Surface 5.3" | \$59 | \$67 |
| EcoLF1.9x1.4D | RFeco Entry Fitting for Flat & Dual Pipe Entry | \$95 | \$67 |
| EcoLC1.9x1.4D | RFeco Entry Fitting for Curved & Dual Pipe Entry | \$95 | \$67 |



* Add an "F" to the end of the part number for "filled" option. Add a "UV" to the end for White colored AST UV resistant design.



**REPLACEMENT GASKETS FOR RIGIDFLEX/RFECO HOUSINGS**

| | | |
|------|--|------|
| RGSC | Replacement Gasket, Small Housing, Curved Surface (two) | \$20 |
| RGSF | Replacement Gasket, Small Housing, Flat Surface (two) | \$20 |
| RGMC | Replacement Gasket, Medium Housing, Curved Surface (two) | \$22 |
| RGMF | Replacement Gasket, Medium Housing, Flat Surface (two) | \$22 |
| RGLC | Replacement Gasket, Large Housing, Curved Surface (two) | \$25 |
| RGLF | Replacement Gasket, Large Housing, Flat Surface (two) | \$25 |

**SECONDARY TO PRIMARY LINE TEST FITTINGS**

| | | Std. | UV Design |
|------------------|---|-------|-----------|
| TF 2.0x2.0 | Test Fitting 2.0" x 2.0" | \$28 | \$36 |
| TF 2.0x2.0A | Test Fitting 2.0" x 2.0" w/ Air Test Valve | \$37 | \$45 |
| TF 2.5x2.5 | Test Fitting 2.5" x 2.5" | \$28 | \$36 |
| TF 2.5x2.5A | Test Fitting 2.5" x 2.5" w/ Air Test Valve | \$37 | \$45 |
| TF 2.61x2.38LCX | Test Fitting 2.61" x 2.38" for LCX | \$28 | \$36 |
| TF 2.61x2.38LCXA | Test Fitting 2.61" x 2.38" for LCX w/ Air Test Valve | \$37 | \$45 |
| TF 3.5x2.4 | Test Fitting 3.5" x 2.4" | \$41 | \$49 |
| TF 3.5x2.4D | Test Fitting 3.5" x 2.4" w/ Drain | \$51 | \$59 |
| TF 3.5x2.4A | Test Fitting 3.5" x 2.4" w/ Air Test Valve | \$51 | \$59 |
| TF 3.5x2.4DA | Test Fitting 3.5" x 2.4" w/ Drain & Air Test Valve | \$61 | \$69 |
| TF 3.5x2.4OS | Test Fitting 3.5" x 2.4" OffSet | \$63 | \$71 |
| TF 3.5x2.4OSD | Test Fitting 3.5" x 2.4" OffSet w/ Drain | \$73 | \$81 |
| TF 3.5x2.4OSA | Test Fitting 3.5" x 2.4" OffSet w/ Air Test Valve | \$73 | \$81 |
| TF 3.5x2.4OSDA | Test Fitting 3.5" x 2.4" OffSet w/ Drain & Air Test Valve | \$83 | \$91 |
| TF 3.72x3.5LCX | Test Fitting 3.72" x 3.5" for LCX | \$41 | \$49 |
| TF 3.72x3.5LCXA | Test Fitting 3.72" x 3.5" for LCX w/ Air Test Valve | \$51 | \$59 |
| TF 4.5x2.5 | Test Fitting 4.5" x 2.5" | \$47 | \$55 |
| TF 4.5x2.5A | Test Fitting 4.5" x 2.5" w/ Air Test Valve | \$56 | \$64 |
| TF 4.5x3.5 | Test Fitting 4.5" x 3.5" | \$47 | \$55 |
| TF 4.5x3.5D | Test Fitting 4.5" x 3.5" w/ Drain | \$56 | \$64 |
| TF 4.5x3.5A | Test Fitting 4.5" x 3.5" w/ Air Test Valve | \$56 | \$64 |
| TF 4.5x3.5DA | Test Fitting 4.5" x 3.5" w/ Drain & Air Test Valve | \$66 | \$74 |
| TF 4.5x3.5OS | Test Fitting 4.5" x 3.5" OffSet | \$75 | \$83 |
| TF 4.5x3.5 OSD | Test Fitting 4.5" x 3.5" OffSet w/ Drain | \$84 | \$92 |
| TF 4.5x3.5OSA | Test Fitting 4.5" x 3.5" OffSet w/ Air Test Valve | \$84 | \$92 |
| TF 4.5x3.5OSDA | Test Fitting 4.5" x 3.5" OffSet w/ Drain & Air Test Valve | \$94 | \$102 |
| TF 4.5x4.5 | Test Fitting 4.5" x 4.5" | \$92 | \$100 |
| TF 4.5x4.5A | Test Fitting 4.5" x 4.5" w/ Air Test Valve | \$101 | \$109 |
| TF 4.72x4.5LCX | Test Fitting 4.72" x 4.5" for LCX | \$55 | \$63 |
| TF 4.72x4.5LCXA | Test Fitting 4.72" x 4.5" for LCX w/ Air Test Valve | \$65 | \$73 |
| TF 4.8x2.0 | Test Fitting 4.8" x 2.0" | \$66 | \$74 |
| TF 4.8x2.0A | Test Fitting 4.8" x 2.0" w/ Air Test Valve | \$75 | \$83 |
| TF 4.8x2.25 | Test Fitting 4.8" x 2.25" | \$66 | \$74 |
| TF 4.8x2.25A | Test Fitting 4.8" x 2.25" w/ Air Test Valve | \$75 | \$83 |
| TF 4.8x2.5 | Test Fitting 4.8" x 2.5" | \$66 | \$74 |
| TF 4.8x2.5A | Test Fitting 4.8" x 2.5" w/ Air Test Valve | \$75 | \$83 |
| TF 6.8x4.5 | Test Fitting 6.8" x 4.5" | \$66 | \$76 |
| TF 6.8x4.5A | Test Fitting 6.8" x 4.5" w/ Air Test Valve | \$75 | \$85 |



* Add a "UV" to the end of the part number for a White colored AST UV resistant design.



**REDUCING INSERTS FOR FITTINGS**

| | | Std. | UV Design |
|--------------|--|-------------|------------------|
| RI 1.4x.84 | Reducing Insert 1.4" x .84" | \$16 | \$24 |
| RI 1.4x1.0 | Reducing Insert 1.4" x 1.0" | \$16 | \$24 |
| RI 2.4x1.0 | Reducing Insert 2.4" x 1.0" | \$42 | \$50 |
| RI 2.4x1.6 | Reducing Insert 2.4" x 1.6" | \$25 | \$33 |
| RI 2.4x1.8 | Reducing Insert 2.4" x 1.8" | \$25 | \$33 |
| RI 2.4x1.9 | Reducing Insert 2.4" x 1.9" | \$25 | \$33 |
| RI 2.4x2.0 | Reducing Insert 2.4" x 2.0" | \$25 | \$33 |
| RI 3.5x1.8 | Reducing Insert 3.5" x 1.8" | \$33 | \$41 |
| RI 3.5x1.9 | Reducing Insert 3.5" x 1.9" | \$58 | \$68 |
| RI 3.5x2.25 | Reducing Insert 3.5" x 2.25" | \$33 | \$41 |
| RI 3.5x2.5 | Reducing Insert 3.5" x 2.5" | \$33 | \$41 |
| RI 3.5x2.7 | Reducing Insert 3.5" x 2.7" | \$33 | \$41 |
| RI 3.5x3.0 | Reducing Insert 3.5" x 3.0" | \$33 | \$41 |
| RI 4.5x1.9 | Reducing Insert 4.5" x 1.9" | \$104 | \$119 |
| RI 4.5x2.5 | Reducing Insert 4.5" x 2.5" | \$46 | \$56 |
| RI 4.5x2.5OS | Reducing Insert 4.5" x 2.5" Off-Set Design | \$70 | \$90 |
| RI 4.5x2.7 | Reducing Insert 4.5" x 2.7" | \$46 | \$56 |
| RI 4.5x2.8 | Reducing Insert 4.5" x 2.8" | \$46 | \$56 |
| RI 4.5x3.0 | Reducing Insert 4.5" x 3.0" | \$46 | \$56 |
| RI 4.5x3.3 | Reducing Insert 4.5" x 3.3" | \$46 | \$56 |
| RI 4.5x3.5 | Reducing Insert 4.5" x 3.5" | \$46 | \$56 |
| RI 4.5x3.7 | Reducing Insert 4.5" x 3.7" | \$46 | \$56 |
| RI 4.8x2.25 | Reducing Insert 4.8" x 2.25" | \$79 | \$94 |
| RI 4.8x2.5 | Reducing Insert 4.8" x 2.5" | \$79 | \$94 |
| RI 4.8x3.5 | Reducing Insert 4.8" x 3.5" | \$46 | \$56 |
| RI 6.8x3.5OS | Reducing Insert 6.8" x 3.5" Off-Set Design | \$80 | \$100 |



* Add a "UV" to the end of the part number for a White colored AST UV resistant design.

DAM STOP/CENTRALIZER AND DUCT SEAL

| | | |
|------------|---|------|
| RI 2.0xCD | Centralizer/Dam Stop for 4" Ducting x 2.0" | \$58 |
| RI 2.25xCD | Centralizer/Dam Stop for 4" Ducting x 2.25" | \$58 |
| RI 2.5xCD | Centralizer/Dam Stop for 4" Ducting x 2.5" | \$58 |
| RI 2.7xCD | Centralizer/Dam Stop for 4" Ducting x 2.7" | \$58 |
| RI 3.0xCD | Centralizer/Dam Stop for 4" Ducting x 3.0" | \$58 |
| RI 3.5xCD | Centralizer/Dam Stop for 4" Ducting x 3.5" | \$58 |
| RI 3.0xDS | Duct Seal for 3" Ducting | \$14 |
| RI 4.0xDS | Duct Seal for 4" Ducting | \$17 |





INSTALLATION ACCESSORIES & MATERIALS

Fitting Gasket Sealants & Filler

| | | |
|---------------|--|-------|
| AC SIKa10 | Sikaflex Fitting Sealant, 10 oz Tube | \$10 |
| AC SIKa10CASE | Sikaflex Fitting Sealant, 10 oz Tube, Case of 24 | \$201 |
| AC MGun10 | Manual Heavy Duty Dispensing Gun for 10oz Tube | \$27 |
| AC PGun10 | Pneumatic Dispensing Gun for 10oz Tube | \$71 |

| | | |
|-------------|--|-------|
| AC PSeal200 | PetrolSeal Sealant/Filler, 200ml Cartridge | \$89 |
| AC PSeal400 | PetrolSeal Sealant/Filler, 400ml Cartridge | \$130 |
| AC MGun200 | Manual Dispensing Gun for 200ml Cartridge | \$179 |
| AC MGun400 | Manual Dispensing Gun for 400ml Cartridge | \$197 |

(Note: PetrolSeal is the sole specified sealant/filler for New Hampshire)

| | | |
|-------------|---|-------|
| AC FastFill | Rapid Setting Fitting Filler, 20 oz Cartridge | \$79 |
| AC MGun20 | Manual Dispensing Gun for 20oz Cartridge | \$137 |
| AC PGun20 | Pneumatic Dispensing Gun for 20oz Cartridge | \$326 |

| | | |
|-------------|--|------|
| AC FastFuse | Fitting Bonding Solvent, 4oz Can (for XL fittings) | \$79 |
|-------------|--|------|



* Contact ZJI regarding the volume of sealant and/or filler needed for your fitting specification.

Fitting Hole Saws

| | | |
|------------|---|-----------|
| AC HS3.25 | Hole Saw Blade & Arbor 3.25" for Small Housing | \$48 |
| AC HS5.5 | Hole Saw Blade & Arbor 5.5" for Medium Housing | \$76 |
| AC HS6.625 | Hole Saw Blade & Arbor 6.625" for Large Housing | \$87 |
| AC HS*.* | Hole Saw Blade & Arbor (size specification) | Per Quote |



Secondary Line Integrity Test Kits

| | | |
|---------------|--|-----------|
| MC LTStandard | Secondary Line Testing Standard Jumper Kit | \$32.00 |
| MC LTSingle | Secondary Line Testing Single Kit w/ Valve | \$58.00 |
| MC LTDDouble | Secondary Line Testing Double Kit w/ Valve | \$95.00 |
| MC LTCustom | Custom Secondary Line Testing Kits | Per Quote |

